

## WEST Search History





DATE: Tuesday, May 10, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L21	(memory and head and tail).ti.	18
<input type="checkbox"/>	L20	L19 and (head near5 pointer\$1)	13
<input type="checkbox"/>	L19	L18 and (tail near5 pointer\$1)	13
<input type="checkbox"/>	L18	L17 and (memory same cache)	28
<input type="checkbox"/>	L17	L16 and (empty near5 queue)	28
<input type="checkbox"/>	L16	L15 and queue	31
<input type="checkbox"/>	L15	L14 and dequeue	31
<input type="checkbox"/>	L14	L13 and (head near5 tail)	31
<input type="checkbox"/>	L13	L12 and cache	38
<input type="checkbox"/>	L12	L11 and descriptor	47
<input type="checkbox"/>	L11	L10 and (queue same dequeue)	90
<input type="checkbox"/>	L10	L9 and (head near5 point\$2)	1281
<input type="checkbox"/>	L9	(memory near5 structure)	76263
<input type="checkbox"/>	L8	5671446 .uref.	13
<input type="checkbox"/>	L7	(memory near5 head) same (queue near5 enqueue)	10
<input type="checkbox"/>	L6	L3 and (head near5 point\$)	10
<input type="checkbox"/>	L5	L3 and (dequeue\$1)	2
<input type="checkbox"/>	L4	L3 and (dequeue near5 command\$1)	0
<input type="checkbox"/>	L3	(data and memory and queue\$).ti.	280
<input type="checkbox"/>	L2	'memory queue'.ti.	32
<input type="checkbox"/>	L1	'memory enqueue'.ti.	0

END OF SEARCH HISTORY

## Hit List

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 32 of 32 returned.

☐ 1. Document ID: US 20020116538 A1

Using default format because multiple data bases are involved.

L2: Entry 1 of 32

File: PGPB

Aug 22, 2002

PGPUB-DOCUMENT-NUMBER: 20020116538

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020116538 A1

TITLE: High-performance memory queue

PUBLICATION-DATE: August 22, 2002

## INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Chen, Shawfu	New Milford	CT	US	
Dryfoos, Robert O.	Hopewell Junction	NY	US	
Feldman, Allan	Poughkeepsie	NY	US	
Hu, David Y.	Poughkeepsie	NY	US	
Keenaghan, Jason A.	Wappingers Falls	NY	US	
Sutton, Peter G.	Lagrangeville	NY	US	
Wang, Mei-Hui	Brookfield	CT	US	

US-CL-CURRENT: 719/314; 718/101, 718/104

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWNC	Draw Da
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 2. Document ID: US 6157963 A

L2: Entry 2 of 32

File: USPT

Dec 5, 2000

US-PAT-NO: 6157963

DOCUMENT-IDENTIFIER: US 6157963 A

TITLE: System controller with plurality of memory queues for prioritized scheduling of I/O requests from priority assigned clients

DATE-ISSUED: December 5, 2000

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Courtright, II; William V.	Wichita	KS		

US-CL-CURRENT: 710/5; 710/40

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMIC	Draw. D.
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

Oct 24, 2000

US-CL-CURRENT: 370/429; 370/412, 370/422, 710/52

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KONC	Draws
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	-------

Nov 3, 1998

US-CL-CURRENT: 710/40; 710/39, 711/151, 711/158

Full	Title	Citation	Front	Review	Classification	Date	Reference				Claims	NUMC	Drawn Da
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--	--------	------	----------

☐ 5. Document ID: NA9406319

L2: Entry 5 of 32

File: TDBD

Jun 1, 1994

TDB-ACC-NO: NA9406319

DISCLOSURE TITLE: Memory Queue Priority Mechanism for a RISC Processor

## PUBLICATION-DATA:

IBM Technical Disclosure Bulletin, June 1994, US

VOLUME NUMBER: 37

ISSUE NUMBER: 6A

PAGE NUMBER: 319 - 322

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1994. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWAC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 6. Document ID: NN9208382

L2: Entry 6 of 32

File: TDBD

Aug 1, 1992

TDB-ACC-NO: NN9208382

DISCLOSURE TITLE: Blocked Data Transfer with Virtual Memory Queues.

## PUBLICATION-DATA:

IBM Technical Disclosure Bulletin, August 1992, US

VOLUME NUMBER: 35

ISSUE NUMBER: 3

PAGE NUMBER: 382 - 385

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1992. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWAC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 7. Document ID: US 6813249 B1

L2: Entry 7 of 32

File: DWPI

Nov 2, 2004

DERWENT-ACC-NO: 2004-819710

DERWENT-WEEK: 200481

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Network based data cells prefetching system in data communication system,  
has memory controller to prefetch data cells from host that are associated with  
assigned address, and prefetched cells are stored in selected memory queues

INVENTOR: FOSMARK, K S; LAUFFENBURGER, K A ; PERRY, W A ; SHELOR, C F ; WHALEY, A

PRIORITY-DATA: 1999US-0251110 (February 16, 1999)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 6813249 B1</u>	November 2, 2004		013	H04L012/28

INT-CL (IPC): G01 R 31/08; G06 F 11/00; G08 C 15/00; H04 J 1/16; H04 J 3/14; H04 L 12/28; H04 L 12/56

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KUOC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 8. Document ID: JP 2004320459 A

L2: Entry 8 of 32

File: DWPI

Nov 11, 2004

DERWENT-ACC-NO: 2004-808379

DERWENT-WEEK: 200480

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Output band estimation method for packet network, involves measuring queue  
length of packet collected in waiting buffer for every preset measuring period, and  
storing it in memory for queue length distribution determination

PRIORITY-DATA: 2003JP-0111731 (April 16, 2003)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>JP 2004320459 A</u>	November 11, 2004		015	H04L012/56

INT-CL (IPC): H04 L 12/56

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KUOC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 9. Document ID: KR 2004065585 A

L2: Entry 9 of 32

File: DWPI

Jul 23, 2004

DERWENT-ACC-NO: 2004-773331

DERWENT-WEEK: 200476

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Fast mail forwarding system using memory queue

INVENTOR: KIM, Y S

PRIORITY-DATA: 2003KR-0002584 (January 15, 2003)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>KR 2004065585 A</u>	July 23, 2004		001	G06F017/60

INT-CL (IPC): G06 F 17/60

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 10. Document ID: WO 2004077221 A2

L2: Entry 10 of 32

File: DWPI

Sep 10, 2004

DERWENT-ACC-NO: 2004-662124

DERWENT-WEEK: 200464

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Network resource management system for computer system, maps network data and stores mapped data in memory in queue format, and transmits responses with respect to requests received from client terminal

INVENTOR: RAO, V K

PRIORITY-DATA: 2003IN-MU00127 (January 30, 2003)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>WO 2004077221 A2</u>	September 10, 2004	E	020	G06F000/00

INT-CL (IPC): G06 F 0/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 11. Document ID: US 20040151191 A1

L2: Entry 11 of 32

File: DWPI

Aug 5, 2004

DERWENT-ACC-NO: 2004-614156

DERWENT-WEEK: 200459

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Data frame processing apparatus for use in networking device e.g. protocol bridge, has embedded processors to copy header of fibre channel frame entry to other entry of memory queues and to encapsulate frame in another frame

INVENTOR: FUREY, S; GEDDES, D ; MORETTI, M ; SURI, S ; WU, T

PRIORITY-DATA: 2003US-441764P (January 21, 2003), 2003US-0445105 (May 23, 2003)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 20040151191 A1</u>	August 5, 2004		018	H04L012/28

INT-CL (IPC): G06 F 15/16; H04 L 12/28; H04 L 12/56

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	--------

☐ 12. Document ID: US 20040131068 A1, EP 1432179 A1

L2: Entry 12 of 32

File: DWPI

Jul 8, 2004

DERWENT-ACC-NO: 2004-490045

DERWENT-WEEK: 200447

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Multi-channel network node, has memory unit organized as physical memory queues with coherent memory and switching unit routes data from input port to memory queue that is assigned to destined output port

INVENTOR: DEMBECK, L; KOERBER, W ; KORBER, W

PRIORITY-DATA: 2002EP-0360348 (December 16, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 20040131068 A1</u>	July 8, 2004		000	H04L012/28
<u>EP 1432179 A1</u>	June 23, 2004	E	010	H04L012/56

INT-CL (IPC): H04 L 12/28; H04 L 12/56

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	--------

☐ 13. Document ID: US 20040143829 A1, JP 2004151761 A

L2: Entry 13 of 32

File: DWPI

Jul 22, 2004

DERWENT-ACC-NO: 2004-434902

DERWENT-WEEK: 200449

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Memory controller in computer system, changes data stored in shared memory, when cache memory processor executes command stored in shared memory queue

INVENTOR: KUWABARA, H; MITSUOKA, Y ; UCHIUMI, K

PRIORITY-DATA: 2002JP-0313027 (October 28, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 20040143829 A1</u>	July 22, 2004		000	G06F012/00
<u>JP 2004151761 A</u>	May 27, 2004		013	G06F011/00

INT-CL (IPC): G06 F 9/44; G06 F 11/00; G06 F 12/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	--------

☐ 14. Document ID: US 20030236946 A1

L2: Entry 14 of 32

File: DWPI

Dec 25, 2003

DERWENT-ACC-NO: 2004-107505

DERWENT-WEEK: 200411

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Memory queue management process for computer system, involves dividing memory address space into multiple buffers and associating header cells that indicate unique memory address of buffer, to buffers

INVENTOR: GREUBEL, J D

PRIORITY-DATA: 2002US-0176362 (June 20, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 20030236946 A1</u>	December 25, 2003		009	G06F012/00

INT-CL (IPC): G06 F 12/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWAC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 15. Document ID: JP 2003263883 A, US 20030172242 A1

L2: Entry 15 of 32

File: DWPI

Sep 19, 2003

DERWENT-ACC-NO: 2003-766517

DERWENT-WEEK: 200372

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Self synchronous first-in and first-out memory for use as queue buffer, adjusts timing of write/read request signal from external devices, and calculates write/read addresses based on request signals

INVENTOR: ONOZAKI, M; UNEYAMA, T

PRIORITY-DATA: 2002JP-0062107 (March 7, 2002)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>JP 2003263883 A</u>	September 19, 2003		020	G11C007/00
<u>US 20030172242 A1</u>	September 11, 2003		034	G06F012/00

INT-CL (IPC): G06 F 12/00; G06 F 13/38; G11 C 7/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWAC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 16. Document ID: US 6463059 B1

L2: Entry 16 of 32

File: DWPI

Oct 8, 2002



DERWENT-ACC-NO: 2003-110250

DERWENT-WEEK: 200310

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Digital transport packet distribution management method in digital multimedia communication system, involves adding local header incorporating memory queue address index to each transport packet

INVENTOR: HOEM, R H; LAI, B ; MOVSHOVICH, A ; PUTTASWAMY, N A

PRIORITY-DATA: 1998US-0205480 (December 4, 1998)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 6463059 B1</u>	October 8, 2002		024	H04L012/56

INT-CL (IPC): H04 L 12/54; H04 L 12/56

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	NUMC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 17. Document ID: US 6829769 B2, US 20020144006 A1

L2: Entry 17 of 32

File: DWPI

Dec 7, 2004

DERWENT-ACC-NO: 2003-091485

DERWENT-WEEK: 200480

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Interprocess communication method involves accessing shared memory heaps to place instruction in allocated memory region, and to add agnostic memory handle to memory queues

INVENTOR: CRANSTON, W M; PURTELL, M J ; YANG, M

PRIORITY-DATA: 2000US-238106P (October 4, 2000), 2001US-0823124 (March 30, 2001)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 6829769 B2</u>	December 7, 2004		000	G06F009/46
<u>US 20020144006 A1</u>	October 3, 2002		021	G06F009/46

INT-CL (IPC): G06 F 9/00; G06 F 9/46; G06 F 9/54; G06 F 15/163

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	NUMC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 18. Document ID: US 20020115428 A1

L2: Entry 18 of 32

File: DWPI

Aug 22, 2002

DERWENT-ACC-NO: 2002-749901

DERWENT-WEEK: 200281

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Wireless data retrieval device for personal digital assistant, has FIFO memory queue which stores standardized correspondence information for being

transmitted to and received from wireless channel

INVENTOR: STORINO, S N; UHLMANN, G J

PRIORITY-DATA: 2001US-0789283 (February 20, 2001)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 20020115428 A1	August 22, 2002		008	H04M011/10

INT-CL (IPC): H04 M 11/10

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KNOC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 19. Document ID: US 20020112105 A1

L2: Entry 19 of 32

File: DWPI

Aug 15, 2002

DERWENT-ACC-NO: 2003-016373

DERWENT-WEEK: 200301

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Computer system for service aware network, has circular memory queue defined between designated addresses in local memory of receiving CPU

INVENTOR: DANIEL, M; ZEIRA, A

PRIORITY-DATA: 2001US-0782090 (February 12, 2001)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 20020112105 A1	August 15, 2002		011	G06F003/00

INT-CL (IPC): G06 F 3/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KNOC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 20. Document ID: US 6055598 A

L2: Entry 20 of 32

File: DWPI

Apr 25, 2000

DERWENT-ACC-NO: 2000-364194

DERWENT-WEEK: 200031

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Bus-to-bus bridging architecture has FIFO memory queues which are arranged to store commands in specific sequence

INVENTOR: LANGE, R E

PRIORITY-DATA: 1996US-0718971 (September 26, 1996)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 6055598 A	April 25, 2000		018	G06F013/38

INT-CL (IPC): G06 F 13/38

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 21. Document ID: JP 11249962 A

L2: Entry 21 of 32

File: DWPI

Sep 17, 1999

DERWENT-ACC-NO: 1999-575813

DERWENT-WEEK: 199949

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Disc subsystem with cache memory, for computer system - performs transition of updating data of low probability hit to higher-order instruction by cache re-assignment possible queue after finishing write-in to disc apparatus, when managing cache memory by queues

PRIORITY-DATA: 1998JP-0053103 (March 5, 1998)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
JP 11249962 A	September 17, 1999		004	G06F012/08

INT-CL (IPC): G06 F 12/08; G06 F 12/12

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 22. Document ID: US 5848234 A

L2: Entry 22 of 32

File: DWPI

Dec 8, 1998

DERWENT-ACC-NO: 1999-059542

DERWENT-WEEK: 199905

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Object procedure messaging method in computer network - involves determining whether selected server is on first platform, based on which network transport or memory queue are selected for communication between client and server

INVENTOR: CHERNICK, A; GREENBLATT, S ; LACKEY, R L ; NEELEY, W K ; YANG, D

PRIORITY-DATA: 1994US-0247178 (May 20, 1994), 1993US-0065926 (May 21, 1993), 1996US-0653106 (May 24, 1996)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 5848234 A	December 8, 1998		015	G06F015/16

INT-CL (IPC): G06 F 15/16

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWMC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 23. Document ID: JP 10254966 A

L2: Entry 23 of 32

File: DWPI

Sep 25, 1998

DERWENT-ACC-NO: 1998-573303

DERWENT-WEEK: 199849

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Information presentation system connected to Internet - has display controller which displays advertisement data stored in memory when queue of contents is formed while acquiring contents from network

PRIORITY-DATA: 1997JP-0061567 (March 14, 1997)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>JP 10254966 A</u>	September 25, 1998		008	G06F017/60

INT-CL (IPC): G06 F 13/00; G06 F 17/60; G09 G 5/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWMC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 24. Document ID: EP 745938 A1, JP 08328944 A

L2: Entry 24 of 32

File: DWPI

Dec 4, 1996

DERWENT-ACC-NO: 1997-013900

DERWENT-WEEK: 199709

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Main storage unit with operating system resource region and user region - has user region memories designated by full address to access any main storage areas, memories form queue, several pointers in OS resource region each store full address, OS resource headers pointers indicate next memory in queue

INVENTOR: NAKAJIMA, T

PRIORITY-DATA: 1995JP-0133969 (May 31, 1995)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>EP 745938 A1</u>	December 4, 1996	E	011	G06F012/02
<u>JP 08328944 A</u>	December 13, 1996		009	G06F012/02

INT-CL (IPC): G06 F 12/02

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWMC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 25. Document ID: EP 725345 A1, US 6393503 B2, CA 2167632 A, JP 10307732 A, US

20010023467 A1

L2: Entry 25 of 32

File: DWPI

Aug 7, 1996

DERWENT-ACC-NO: 1996-356257

DERWENT-WEEK: 200239

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Inter process communication method using shared memory - involves creating shared memory queue and passing pointer to consuming process to remove message from queue

INVENTOR: CLARK, T M; FISHLER, L R

PRIORITY-DATA: 1995US-0377303 (January 23, 1995), 2001US-0867783 (May 29, 2001)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>EP 725345 A1</u>	August 7, 1996	E	073	G06F011/14
<u>US 6393503 B2</u>	May 21, 2002		000	G06F013/00
<u>CA 2167632 A</u>	July 24, 1996		000	G06F015/163
<u>JP 10307732 A</u>	November 17, 1998		015	G06F009/46
<u>US 20010023467 A1</u>	September 20, 2001		000	G06F013/38

INT-CL (IPC): G06 F 9/46; G06 F 11/14; G06 F 13/00; G06 F 13/38; G06 F 13/40; G06 F 15/163

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 26. Document ID: US 5442747 A

L2: Entry 26 of 32

File: DWPI

Aug 15, 1995

DERWENT-ACC-NO: 1995-292801

DERWENT-WEEK: 199538

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Flexible multiport multi-format burst buffer for multimedia video chip - uses single cache memory to queue number of asynchronous data streams to be stored and retrieved from DRAM

INVENTOR: CHAN, S S; KIMURA, S A ; SIMPSON, M S

PRIORITY-DATA: 1993US-0127219 (September 27, 1993)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 5442747 A</u>	August 15, 1995		012	G06F012/00

INT-CL (IPC): G06 F 12/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 27. Document ID: US 6718399 B1, WO 9428486 A1, AU 9469577 A

L2: Entry 27 of 32

File: DWPI

Apr 6, 2004

DERWENT-ACC-NO: 1995-023070

DERWENT-WEEK: 200425

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Communication between client and server objects - involves using network transport between operating platforms or using memory queue on platforms to communicate between client and server object

INVENTOR: CHERNICK, A; GREENBLATT, S ; LACKEY, R L ; NEELEY, W K ; YANG, D

PRIORITY-DATA: 1993US-0065926 (May 21, 1993), 1995US-0432372 (May 1, 1995), 1996US-0660730 (June 10, 1996)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 6718399 B1</u>	April 6, 2004		000	G06F009/46
<u>WO 9428486 A1</u>	December 8, 1994	E	045	G06F013/00
<u>AU 9469577 A</u>	December 20, 1994		000	G06F013/00

INT-CL (IPC): G06F 9/46; G06F 13/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 28. Document ID: EP 609051 A1, US 5848283 A

L2: Entry 28 of 32

File: DWPI

Aug 3, 1994

DERWENT-ACC-NO: 1994-242389

DERWENT-WEEK: 199905

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Maintaining data coherency among main and cache memories using cache synchronisation - establishing multi-state bus synchronisation flag and issuing bus operation request to memory queue and thereafter to common bus

INVENTOR: MOORE, C R; MUHICH, J S ; VICKNAIR, B J

PRIORITY-DATA: 1993US-0010900 (January 29, 1993)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>EP 609051 A1</u>	August 3, 1994	E	015	G06F012/08
<u>US 5848283 A</u>	December 8, 1998		000	G06F013/00

INT-CL (IPC): G06F 12/08; G06F 13/00

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 29. Document ID: US 5319753 A

L2: Entry 29 of 32

File: DWPI

Jun 7, 1994

DERWENT-ACC-NO: 1994-182968

DERWENT-WEEK: 199422

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Bidirectional interrupt appts - handles programmable length interrupt messages between two devices, e.g. two processors, through dual, programmably defined, memory queues

INVENTOR: MACKENNA, C A; NIMISHAKAVI, H ; SWAMI, R

PRIORITY-DATA: 1992US-0953732 (September 29, 1992)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 5319753 A</u>	June 7, 1994		012	G06F013/24

INT-CL (IPC): G06F 13/24

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 30. Document ID: KR 9403300 B1

L2: Entry 30 of 32

File: DWPI

Apr 20, 1994

DERWENT-ACC-NO: 1996-048030

DERWENT-WEEK: 199605

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Memory queue for pipeline bus protocol system - includes buffer for storing continuous transmission requests from system bus when memory controller cannot process any more request until previous request have been executed

INVENTOR: KIM, A; PARK, B ; SHIM, W ; YUN, Y

PRIORITY-DATA: 1991KR-0019573 (November 5, 1991)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>KR 9403300 B1</u>	April 20, 1994		000	G06F013/42

INT-CL (IPC): G06F 13/42

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 31. Document ID: EP 239097 A, DE 3750702 G, EP 239097 B1, US 4847748 A

L2: Entry 31 of 32

File: DWPI

Sep 30, 1987

DERWENT-ACC-NO: 1987-272560

DERWENT-WEEK: 198739

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Data processing system with decoded instruction queue memory - has queue  
structure composed of entries for latching entry information and including up=down  
counter

INVENTOR: SATO, Y; YAMAHATA, H

PRIORITY-DATA: 1986JP-0067843 (March 25, 1986)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>EP 239097 A</u>	September 30, 1987	E	043	
<u>DE 3750702 G</u>	December 8, 1994		000	G06F009/38
<u>EP 239097 B1</u>	November 2, 1994	E	023	G06F009/38
<u>US 4847748 A</u>	July 11, 1989		020	

INT-CL (IPC): G06F 9/38

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	K00C	Draw. Da
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 32. Document ID: US 3979733 A, BE 841524 A, CA 1056065 A, DE 2620220 A, DE 2620220 B, FR 2310595 A, GB 1497002 A, IT 1062464 B, NL 180371 B, NL 7604729 A, SE 7605192 A



## Hit List

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 6393531 B1

Using default format because multiple data bases are involved.

L5: Entry 1 of 2

File: USPT

May 21, 2002

US-PAT-NO: 6393531

DOCUMENT-IDENTIFIER: US 6393531 B1

**\*\* See image for Certificate of Correction \*\***TITLE: Queue based data control mechanism for queue based memory controller

DATE-ISSUED: May 21, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Novak; Stephen T.	South Lake Tahoe	CA		
Peck, Jr.; John C.	Mountain View	CA		

US-CL-CURRENT: 711/154; 365/189.12, 711/109, 711/159, 711/165, 713/600

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KNOC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 2. Document ID: US 20050055534 A1

L5: Entry 2 of 2

File: DWPI

Mar 10, 2005

DERWENT-ACC-NO: 2005-232052

DERWENT-WEEK: 200524

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Data processing system executes instruction to transfer data stream between memory and general purpose register, and to be queued in memory or register, and instruction comprising source operand to selectively dequeue data stream

INVENTOR: MOYER, W C

PRIORITY-DATA: 2003US-0657593 (September 8, 2003)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 20050055534 A1</u>	March 10, 2005		026	G06F015/00

INT-CL (IPC): G06 F 15/00


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "( memory<in>metadata ) <and> ( queue<in>metadata )" ☒ e-mailYour search matched **437** of **1157693** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)

Modify Search

 [» Key](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select

Article Information

View: [1-25](#) | [26-5](#)

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <b>1. Priority queues and sorting methods for parallel simulation</b><br>Grammatikakis, M.D.; Liesche, S.;<br>Software Engineering, IEEE Transactions on<br>Volume 26, Issue 5, May 2000 Page(s):401 - 422<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(5408 KB)</a> IEEE JNL   |
| <input type="checkbox"/> | <b>2. An O(log/sup 2/ N) parallel algorithm for output queuing</b><br>Prakash, A.; Sharif, S.; Aziz, A.;<br>INFOCOM 2002. Twenty-First Annual Joint Conference of the IEEE Computer and Cor<br>Societies. Proceedings. IEEE<br>Volume 3, 23-27 June 2002 Page(s):1623 - 1629 vol.3<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(269 KB)</a> IEEE CNF |
| <input type="checkbox"/> | <b>3. Reducing run queue contention in shared memory multiprocessors</b><br>Dandamudi, S.P.;<br>Computer<br>Volume 30, Issue 3, March 1997 Page(s):82 - 89<br><a href="#">AbstractPlus</a>   <a href="#">References</a>   Full Text: <a href="#">PDF(152 KB)</a> IEEE JNL  |
| <input type="checkbox"/> | <b>4. Memory ordering: a value-based approach</b><br>Cain, H.W.; Lipasti, M.H.;<br>Computer Architecture, 2004. Proceedings. 31st Annual International Symposium on<br>19-23 June 2004 Page(s):90 - 101<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(387 KB)</a> IEEE CNF  |
| <input type="checkbox"/> | <b>5. Design of virtual channel queue in an ATM broadband terminal adaptor</b><br>Chao, H.J.; Smith, D.E.;<br>INFOCOM '92. Eleventh Annual Joint Conference of the IEEE Computer and Commun<br>IEEE<br>4-8 May 1992 Page(s):294 - 302 vol.1<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(520 KB)</a> IEEE CNF  |
| <input type="checkbox"/> | <b>6. Queuing spin lock algorithms to support timing predictability</b><br>Craig, T.S.;<br>Real-Time Systems Symposium, 1993., Proceedings.<br>1-3 Dec. 1993 Page(s):148 - 157<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(716 KB)</a> IEEE CNF   |

- ☐ 7. **Using parallel data structures in optimistic discrete event simulation of varying g shared-memory computers**  
Prasad, S.K.; Sawant, S.I.; Naqib, B.;  
Algorithms and Architectures for Parallel Processing, 1995. ICAPP 95. IEEE First ICA/  
First International Conference on  
Volume 1, 19-21 April 1995 Page(s):365 - 374 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(616 KB) IEEE CNF
- ☐ 8. **Effect of exponential averaging on the variability of a RED queue**  
Misra, A.; Ott, T.; Baras, J.;  
Communications, 2001. ICC 2001. IEEE International Conference on  
Volume 6, 11-14 June 2001 Page(s):1817 - 1823 vol.6  
[AbstractPlus](#) | Full Text: [PDF](#)(908 KB) IEEE CNF
- ☐ 9. **Parallel architectures for processing high speed network signaling protocols**  
Ghosal, D.; Lakshman, T.V.; Yennun Huang;  
Networking, IEEE/ACM Transactions on  
Volume 3, Issue 6, Dec. 1995 Page(s):716 - 728  
[AbstractPlus](#) | Full Text: [PDF](#)(1604 KB) IEEE JNL
- ☐ 10. **Output-queued switch emulation by fabrics with limited memory**  
Magill, R.B.; Rohrs, C.E.; Stevenson, R.L.;  
Selected Areas in Communications, IEEE Journal on  
Volume 21, Issue 4, May 2003 Page(s):606 - 615  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(372 KB) IEEE JNL
- ☐ 11. **Dynamic queue length thresholds for shared-memory packet switches**  
Choudhury, A.K.; Hahne, E.L.;  
Networking, IEEE/ACM Transactions on  
Volume 6, Issue 2, April 1998 Page(s):130 - 140  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(324 KB) IEEE JNL
- ☐ 12. **Scalable shared-buffering ATM switch with a versatile searchable queue**  
Yamanaka, H.; Saito, H.; Kondoh, H.; Sasaki, Y.; Yamada, H.; Tsuzuki, M.; Nishio, S.;  
A.; Ishiwaki, M.; Kohama, S.; Matsuda, Y.; Oshima, K.;  
Selected Areas in Communications, IEEE Journal on  
Volume 15, Issue 5, June 1997 Page(s):773 - 784  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(304 KB) IEEE JNL
- ☐ 13. **Queue management in network processors**  
Papaefstathiou, I.; Otphanoudakis, T.; Kornaros, G.; Kachris, C.; Mavroidis, I.; Nikologi  
Design, Automation and Test in Europe, 2005. Proceedings  
7-11 March 2005 Page(s):112 - 117 Vol. 3  
[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) IEEE CNF
- ☐ 14. **Improving load/store queues usage in scientific computing**  
Lemuet, C.; Jalby, W.; Touati, S.-A.-A.;  
Parallel Processing, 2004. ICPP 2004. International Conference on  
15-18 Aug. 2004 Page(s):38 - 45 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(530 KB) IEEE CNF
- ☐ 15. **Queue locks on cache coherent multiprocessors**  
Magnusson, P.; Landin, A.; Hagersten, E.;  
Parallel Processing Symposium, 1994. Proceedings., Eighth International  
26-29 April 1994 Page(s):165 - 171  
[AbstractPlus](#) | Full Text: [PDF](#)(548 KB) IEEE CNF


- ☐ **16. Dynamic queue length thresholds in a shared memory ATM switch**  
Choudhury, A.K.; Hahne, E.L.;  
INFOCOM '96. Fifteenth Annual Joint Conference of the IEEE Computer Societies. Ne-  
Generation. Proceedings IEEE  
Volume 2, 24-28 March 1996 Page(s):679 - 687 vol.2  
[AbstractPlus](#) | Full Text: [PDF\(808 KB\)](#) IEEE CNF
- ☐ **17. Effectiveness of global event queues in rollback reduction and load balancing**  
Prasad, S.K.; Naqib, B.;  
Parallel and Distributed Simulation, 1995. (PADS'95), Proceedings., Ninth Workshop o  
No.95TB8096)  
14-16 June 1995 Page(s):187 - 190  
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) IEEE CNF
- ☐ **18. Models of access delays in multiprocessor memories**  
Bucher, I.Y.; Calahan, D.A.;  
Parallel and Distributed Systems, IEEE Transactions on  
Volume 3, Issue 3, May 1992 Page(s):270 - 280  
[AbstractPlus](#) | Full Text: [PDF\(912 KB\)](#) IEEE JNL
- ☐ **19. Performance of shared memory in a parallel computer**  
Donovan, K.;  
Parallel and Distributed Systems, IEEE Transactions on  
Volume 2, Issue 2, April 1991 Page(s):253 - 256  
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE JNL
- ☐ **20. Optimum scheduling and memory management in input queued switches with fir**  
Sarkar, S.;  
Information Theory, IEEE Transactions on  
Volume 50, Issue 12, Dec. 2004 Page(s):3197 - 3220  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(616 KB\)](#) IEEE JNL
- ☐ **21. Queuing simulation model for multiprocessor systems**  
Thin-Fong Tsuei; Yamamoto, W.;  
Computer  
Volume 36, Issue 2, Feb. 2003 Page(s):58 - 64  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(275 KB\)](#) IEEE JNL
- ☐ **22. Dynamic queue length thresholds for multiple loss priorities**  
Hahne, E.L.; Choudhury, A.K.;  
Networking, IEEE/ACM Transactions on  
Volume 10, Issue 3, June 2002 Page(s):368 - 380  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(532 KB\)](#) IEEE JNL
- ☐ **23. Performance of hierarchical processor scheduling in shared-memory multiproce**  
Dandamudi, S.P.; Ayachi, S.;  
Computers, IEEE Transactions on  
Volume 48, Issue 11, Nov. 1999 Page(s):1202 - 1213  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(776 KB\)](#) IEEE JNL
- ☐ **24. Implementation of a 16 to 16 switching element for ATM exchanges**  
Barri, P.; Goubert, J.;  
Global Telecommunications Conference, 1990, and Exhibition. 'Communications: Confr  
Future', GLOBECOM '90., IEEE  
2-5 Dec. 1990 Page(s):1615 - 1627 vol.3  
[AbstractPlus](#) | Full Text: [PDF\(796 KB\)](#) IEEE CNF

**25. Space priority management in a shared memory ATM switch**

Choudhury, A.K.; Hahne, E.L.;

Global Telecommunications Conference, 1993, including a Communications Theory and  
Technical Program Conference Record, IEEE in Houston. GLOBECOM '93., IEEE  
29 Nov.-2 Dec. 1993 Page(s):1375 - 1383 vol.3[AbstractPlus](#) | Full Text: [PDF\(808 KB\)](#) IEEE CNFView: [1-25](#) | [26-5](#)

indexed by

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

» Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( memory&lt;in&gt;metadata ) &lt;and&gt; ( cache&lt;in&gt;metadata ) &lt;and&gt; ( queue&lt;in&gt;m..."

☒ e-mailYour search matched **50** of **1157693** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.» [View Session History](#)» [New Search](#)

Modify Search

 » [Key](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | <b>1. Queuing spin lock algorithms to support timing predictability</b><br>Craig, T.S.;<br>Real-Time Systems Symposium, 1993., Proceedings.<br>1-3 Dec. 1993 Page(s):148 - 157<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(716 KB)</a> IEEE CNF   |
| <input type="checkbox"/> | <b>2. Modeling cache inconsistencies in an ATM high-speed network interface archite</b><br>McEachen, J.C.; Batson, M.S.;<br>Circuits and Systems, 1999. 42nd Midwest Symposium on<br>Volume 2, 8-11 Aug. 1999 Page(s):813 - 816 vol. 2<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(320 KB)</a> IEEE CNF                                     |
| <input type="checkbox"/> | <b>3. Fetch Halting on critical load misses</b><br>Mehta, N.; Singer, B.; Bahar, R.I.; Leuchtenburg, M.; Weiss, R.;<br>Computer Design: VLSI in Computers and Processors, 2004. ICCD 2004. Proceedings<br>International Conference on<br>11-13 Oct. 2004 Page(s):244 - 249<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(303 KB)</a> IEEE CNF |
| <input type="checkbox"/> | <b>4. Memory ordering: a value-based approach</b><br>Cain, H.W.; Lipasti, M.H.;<br>Computer Architecture, 2004. Proceedings. 31st Annual International Symposium on<br>19-23 June 2004 Page(s):90 - 101<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(387 KB)</a> IEEE CNF  |
| <input type="checkbox"/> | <b>5. Sensitivity study of asynchronous algorithms in disk buffer cache memory</b><br>Hac, A.;<br>System Sciences, 1992. Proceedings of the Twenty-Fifth Hawaii International Conferer<br>Volume i, 7-10 Jan. 1992 Page(s):93 - 99 vol.1<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(512 KB)</a> IEEE CNF                                   |
| <input type="checkbox"/> | <b>6. A multiprocessor server with a new highly pipelined bus</b><br>Woo-Jong Hahn; Ando Ki; Kee-Wook Rim; Soo-Won Kim;<br>Parallel Processing Symposium, 1996., Proceedings of IPPS '96, The 10th Internationa<br>15-19 April 1996 Page(s):512 - 517<br><a href="#">AbstractPlus</a>   Full Text: <a href="#">PDF(468 KB)</a> IEEE CNF                      |

- ☐ **7. Reducing design complexity of the load/store queue**  
Park, I.; Chong Liang Ooi; Vijaykumar, T.N.;  
Microarchitecture, 2003. MICRO-36. Proceedings. 36th Annual IEEE/ACM International  
3-5 Dec. 2003 Page(s):411 - 422  
[AbstractPlus](#) | Full Text: [PDF\(302 KB\)](#) IEEE CNF
  
- ☐ **8. Improving disk cache hit-ratios through cache partitioning**  
Thiebaut, D.; Stone, H.S.; Wolf, J.L.;  
Computers, IEEE Transactions on  
Volume 41, Issue 6, June 1992 Page(s):665 - 676  
[AbstractPlus](#) | Full Text: [PDF\(1056 KB\)](#) IEEE JNL
  
- ☐ **9. The impact of negative acknowledgments in shared memory scientific application**  
Mainak Chaudhuri; Heinrich, M.;  
Parallel and Distributed Systems, IEEE Transactions on  
Volume 15, Issue 2, Feb 2004 Page(s):134 - 150  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1831 KB\)](#) IEEE JNL
  
- ☐ **10. Queuing simulation model for multiprocessor systems**  
Thin-Fong Tsuei; Yamamoto, W.;  
Computer  
Volume 36, Issue 2, Feb. 2003 Page(s):58 - 64  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(275 KB\)](#) IEEE JNL
  
- ☐ **11. Hierarchical ring network configuration and performance modeling**  
Hamacher, V.C.; Hong Jiang;  
Computers, IEEE Transactions on  
Volume 50, Issue 1, Jan. 2001 Page(s):1 - 12  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1764 KB\)](#) IEEE JNL
  
- ☐ **12. An easy-to-use approach for practical bus-based system design**  
Chung-Ho Chen; Feng-Fu Lin;  
Computers, IEEE Transactions on  
Volume 48, Issue 8, Aug. 1999 Page(s):780 - 793  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(296 KB\)](#) IEEE JNL
  
- ☐ **13. Using Virtual Load/Store Queues (VLSQs) to Reduce the Negative Effects of Reorder Instructions**  
Jaleel, A.; Jacob, B.;  
High-Performance Computer Architecture, 2005. HPCA-11. 11th International Symposium  
12-16 Feb. 2005 Page(s):191 - 200  
[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE CNF
  
- ☐ **14. Performance analysis of a cache-coherent multiprocessor based on hierarchical**  
Yang, Q.;  
Databases, Parallel Architectures and Their Applications, PARBASE-90, International  
7-9 March 1990 Page(s):248 - 257  
[AbstractPlus](#) | Full Text: [PDF\(884 KB\)](#) IEEE CNF
  
- ☐ **15. MARS performance evaluation with different interconnection networks**  
Feipei Lai; Lea-Ming Tzeng; Thom-Ling Chang; Tai-Ming Parn;g;  
Systems Integration, 1990. Systems Integration '90., Proceedings of the First International  
23-26 April 1990 Page(s):248 - 257  
[AbstractPlus](#) | Full Text: [PDF\(656 KB\)](#) IEEE CNF

- ☐ **16. Performance analysis of a hierarchical interconnection network using hypercube**  
Tiruveedhula, V.; Bedi, J.S.;  
Circuits and Systems, 1992., Proceedings of the 35th Midwest Symposium on  
9-12 Aug. 1992 Page(s):867 - 870 vol.2  
[AbstractPlus](#) | Full Text: [PDF\(324 KB\)](#) IEEE CNF
- ☐ **17. Queue locks on cache coherent multiprocessors**  
Magnusson, P.; Landin, A.; Hagersten, E.;  
Parallel Processing Symposium, 1994. Proceedings., Eighth International  
26-29 April 1994 Page(s):165 - 171  
[AbstractPlus](#) | Full Text: [PDF\(548 KB\)](#) IEEE CNF
- ☐ **18. Hardware support for release consistency with queue-based synchronization**  
Jae Bum Lee; Chu Shik Jhon;  
Parallel and Distributed Systems, 1997. Proceedings., 1997 International Conference on  
10-13 Dec. 1997 Page(s):144 - 151  
[AbstractPlus](#) | Full Text: [PDF\(696 KB\)](#) IEEE CNF
- ☐ **19. Evaluation of a memory hierarchy for the MTS multithreaded processor**  
Gallagher, W.L.; Chuan-Lin Wu;  
Parallel and Distributed Systems, 1997. Proceedings., 1997 International Conference on  
10-13 Dec. 1997 Page(s):346 - 351  
[AbstractPlus](#) | Full Text: [PDF\(500 KB\)](#) IEEE CNF
- ☐ **20. Teaching computer architecture/organisation using simulators**  
Grunbacher, H.;  
Frontiers in Education Conference, 1998. FIE '98. 28th Annual  
Volume 3, 4-7 Nov. 1998 Page(s):1107 - 1112 vol.3  
[AbstractPlus](#) | Full Text: [PDF\(1664 KB\)](#) IEEE CNF
- ☐ **21. Performance analysis of an ATM high-speed network interface**  
McEachen, J.C.; Batson, M.S.;  
Electronics, Circuits and Systems, 1999. Proceedings of ICECS '99. The 6th IEEE International Conference on  
Volume 1, 5-8 Sept. 1999 Page(s):101 - 104 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(228 KB\)](#) IEEE CNF
- ☐ **22. A DSM architecture for a parallel computer Cenju-4**  
Hosomi, T.; Kanoh, Y.; Nakamura, M.; Hirose, T.;  
High-Performance Computer Architecture, 2000. HPCA-6. Proceedings. Sixth International Conference on  
8-12 Jan. 2000 Page(s):287 - 298  
[AbstractPlus](#) | Full Text: [PDF\(384 KB\)](#) IEEE CNF
- ☐ **23. A server performance model for static Web workloads**  
Kant, K.; Sundaram, C.R.M.;  
Performance Analysis of Systems and Software, 2000. ISPASS. 2000 IEEE International Symposium on  
24-25 April 2000 Page(s):201 - 206  
[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) IEEE CNF
- ☐ **24. Analysis of a memory architecture for fast packet buffers**  
Iyer, S.; Kompella, R.R.; McKeown, N.;  
High Performance Switching and Routing, 2001 IEEE Workshop on  
29-31 May 2001 Page(s):368 - 373  
[AbstractPlus](#) | Full Text: [PDF\(44 KB\)](#) IEEE CNF
- ☐ **25. Improving the performance of OLTP workloads on SMP computer systems by lin**




**cache lines**

Black, J.E.; Wright, D.F.; Salgueiro, E.M.;

Workload Characterization, 2003. WWC-6. 2003 IEEE International Workshop on  
27 Oct. 2003 Page(s):21 - 29[AbstractPlus](#) | Full Text: [PDF\(577 KB\)](#) IEEE CNFindexed by  
**#inspec**<sup>®</sup>[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -



**Web** Results 1 - 10 of about 9,400 for memory queue descriptors head pointer tail pointers. (0.38 seconds)

### Exercises 6: Linked-List Queue Management (U.Crete, CS-534)

... all **head pointers** (Hd) of all **queues**, all **tail pointers** (Tl) of all **queues**,  
... of **descriptors** that is twice the number of buffer **memory** segments. ...

archvisi.ics.forth.gr/~kateveni/534/03a/ex06\_ll\_mgt.htm - 10k - [Cached](#) - [Similar pages](#)

### Exercises 5: Multi-Packet Blocks, Multicast Queues (U.Crete, CS-534)

... The **head** and **tail pointers** of each **queue**, on the other hand, ... to have a  
number of **descriptors** that is twice the number of buffer **memory** segments. ...

archvisi.ics.forth.gr/~kateveni/534/05a/ex05\_advq.html - 10k - [Cached](#) - [Similar pages](#)

### The Next Generation of Intel IXP Network Processors

... Locating the data store for the cache of **queue descriptors** at the **memory**  
controller ... and these reference 1 of 16 data store **tail** or **head pointers**. ...

www.intel.com/technology/itj/2002/ volume06issue03/art01\_nextgenixp/p09\_challenges.htm - 52k -  
[Cached](#) - [Similar pages](#)

### The Next Generation of Intel IXP Network Processors

... tends to have many small data structures such as **queue descriptors** and linked  
lists. ... The SRAM controller keeps the **head** and **tail pointers** in on-chip ...

www.intel.com/technology/itj/2002/ volume06issue03/art01\_nextgenixp/p07\_microengine.htm - 56k -  
[Cached](#) - [Similar pages](#)

[ [More results from www.intel.com](#) ]

### [PDF] Using the RapidIO Messaging Unit on PowerQUICC III

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... In chaining mode, the software must reserve an area of **memory** to store message  
**descriptors**. ... /\*set up the **head** and **tail pointers** for the **queue**. \*/ ...

www.freescale.com/files/32bit/doc/app\_note/AN2741.pdf - [Similar pages](#)

### [PDF] A Fully-Programmable Memory Management System Optimizing Queue ...

File Format: PDF/Adobe Acrobat

... Categories and Subject **Descriptors**. B.3 **Memory** Structures, B.6 Logic Design  
... **Head Tail**. **Head Tail**. E. 1. 0. 1. 1. E. 0. **Queue** Table. Packet. **pointers** ...

portal.acm.org/ft\_gateway.cfm?id=775849&type=pdf - [Similar pages](#)

### Citations: Correction of a Memory Management Method for Lock-Free ...

... in the **memory** management mechanism and the associated non blocking **queue** ...  
For a **queue**, these are the **head** and **tail pointers** and linked list links. ...

citeseer.ist.psu.edu/context/430739/90 - 19k - [Cached](#) - [Similar pages](#)

### [PDF] A Scalable, Cache-Based Queue Management Subsystem for Network ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... consisting of **head** and **tail**. **pointers** and the **queue** length, and the linked lists  
... b) **queue descriptors** are stored in external **memory** and ...

www.arl.wustl.edu/~pcrowley/beacon.pcrowley.pdf - [Similar pages](#)

### EPICURE Design Note 6.3<P> <b> Use of the QVI and Common VME ...

... of scalar items and CM-relative **pointers** ( offsets relative to the CM base,  
... The **tail pointer** is the CM-pointer to the last (**tail**) entry on the **queue** ...

[www-ad.fnai.gov/rd/controls\\_software\\_doc/dn006.htm](http://www-ad.fnai.gov/rd/controls_software_doc/dn006.htm) - 20k - [Cached](#) - [Similar pages](#)

[PPT] [Design and Simulation of IRAM Network Interface](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)


... Manages multiple FIFO queues in one shared memory. 5 queues: ... Each queue is represented as a linked list with head/tail/next pointers ...

[iram.cs.berkeley.edu/retreat\\_w00/retreat.ppt](http://iram.cs.berkeley.edu/retreat_w00/retreat.ppt) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)




memory queue descriptors head poi [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



**Web** Results 11 - 20 of about 9,400 for **memory queue descriptors head pointer tail pointers**. (0.18 seconds)

### What are Kernel Threads?

... **memory**, program global variables. signal actions, message **queues**, timers ...

**Head and tail pointers** to a process' thread list are included in the proc ...

docs.hp.com/en/5965-4642/ch01s05.html - 30k - [Cached](#) - [Similar pages](#)

### [PDF] Design and Implementation of MPICH2 over InfiniBand with RDMA Support

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **RDMA descriptors**. A descriptor contains both the local. data source addresses (multiple ... **memory** buffer, **head** and **tail pointers** are registered during ...

www.osc.edu/~pw/papers/liu-mpich2-ib-ipdps04.pdf - [Similar pages](#)

### [PDF] High Performance RDMA-Based MPI Implementation over InfiniBand

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... described in Work Queue Requests (WQR), or **descriptors**, ... spective **head pointers** and **tail pointers**. The buffers run out ...

www.osc.edu/~pw/papers/liu-mpi-ib-ics03.pdf - [Similar pages](#)

### Patent 5089958: Fault tolerant computer backup system

... The **queue** is arranged in a circular fashion, with **head** and **tail pointers** ...

with the **tail pointer** for the **queue**, which is contained in clock RAM, ...

www.freepatentsonline.com/5089958.html - 79k - [Cached](#) - [Similar pages](#)

### Patent 5848068: ATM communication system interconnect/termination unit

... **pointers** to the **head** end of a linked list of Virtual Circuit **Descriptors** ... has a **head** and a **tail pointer** with four bytes for each, the total **memory** ...

www.freepatentsonline.com/5848068.html - 130k - [Cached](#) - [Similar pages](#)

[ [More results from www.freepatentsonline.com](#) ]

### RVM: Recoverable Virtual Memory, Release 1.3: RVM Internals

... If truncation is not in progress, both of the **pointers** prev\_log\_head and ...

a lot of disk **head** seeks between the log status block and the log **tail**, ...

www.infoscience.co.jp/technical/coda/doc/html/rvm\_manual-7.html - 45k - [Cached](#) - [Similar pages](#)

### [PDF] Management of sk\_buffs The buffers used by the kernel to manage ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... An array of **pointers** to the page **descriptors** of up to six unmapped ... Here, the **head pointer** is left unchanged, the. data and **tail pointers** are ...

www.cs.clemson.edu/~westall/881/notes/skbuff.pdf - [Similar pages](#)

### [PDF] Tradeoffs in Power-Efficient Issue Queue Design

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... as a RAM with **head** and **tail pointers**. For example, assume for ... entry in the issue **queue**. Whenever the ROB **tail pointer** wraps ...

www.ece.rochester.edu/~albonesi/research/papers/isiped02\_1.pdf - [Similar pages](#)

### This file contains text only. You might be able to find more ...

... Modes 38 5.2 The **Pointer** RAM 39 5.2.1 Associating Packet **Descriptors** 40 ...

Linked Lists The state of the linked lists (**head** and **tail pointers**) form a ...

www.ee.unsw.edu.au/~timm/pubs/BEng/5.txt - 50k - [Cached](#) - [Similar pages](#)

[\[PDF\] Incorporating Memory Management into User-Level Network Interfaces](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... tor onto the send queue. The descriptor contains pointers to the ... bytes)

may be stored entirely within receive queue descriptors. ...

[www.eecs.harvard.edu/~mdw/papers/unetmm.pdf](http://www.eecs.harvard.edu/~mdw/papers/unetmm.pdf) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide



THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

## Anatomy of a message in the Alewife multiprocessor

**Full text** [Pdf \(1.36 MB\)](#)

**Source** [International Conference on Supercomputing archive](#)  
[Proceedings of the 7th international conference on Supercomputing](#) [table of contents](#)  
 Tokyo, Japan  
 Pages: 195 - 206  
 Year of Publication: 1993  
 ISBN:0-89791-600-X

**Authors** [John Kubiawicz](#)  
[Anant Agarwal](#)

**Sponsor** [SIGARCH: ACM Special Interest Group on Computer Architecture](#)

**Publisher** ACM Press New York, NY, USA

**Additional Information:** [abstract](#) [references](#) [citations](#) [index terms](#) [collaborative colleagues](#) [peer to peer](#)

**Tools and Actions:** [Discussions](#) [Find similar Articles](#) [Review this Article](#)  
[Save this Article to a Binder](#) Display Formats: [BibTex](#) [EndNote](#)

**DOI Bookmark:** Use this link to bookmark this Article: <http://doi.acm.org/10.1145/165939.165970>  
[What is a DOI?](#)

### ↑ ABSTRACT

Shared-memory provides a uniform and attractive mechanism for communication. For efficiency, it is often implemented with a layer of interpretive hardware on top of a message-passing communications network. This interpretive layer is responsible for data location, data movement, and cache coherence. It uses patterns of communication that benefit common programming styles, but which are only heuristics. This suggests that certain styles of communication may benefit from direct access to the underlying communications substrate. The Alewife machine, a shared-memory multiprocessor being built at MIT, provides such an interface. The interface is an integral part of the shared memory implementation and affords direct, user-level access to the network queues, supports an efficient DMA mechanism, and includes fast trap handling for message reception. This paper discusses the design and implementation of the Alewife message-passing interface and addresses the issues and advantages of using such an interface to complement hardware-synthesized shared memory.

### ↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

1 [A. Agarwal, D. Chaiken, K. Johnson, D. Kranz, J. Kubiawicz, K. Kurihara, B. H. Lim, G. Maa, D. Nussbaum, M. Parkin, D. Yeung, THE MIT ALEWIFE MACHINE: A LARGE-SCALE DISTRIBUTED-MEMORY MULTIPROCESSOR, Massachusetts Institute of Technology, Cambridge, MA,](#)

Find: [Documents](#)[Citations](#)Searching for PHRASE **queue commands memory strcuture**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)  
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Autonomous Maneuvers of a Nonholonomic Vehicle - Paromtchik, Garnier, Laugier \(1997\) \(Correct\)](#)  
angle and locomotion velocity are two control **commands** (OE v) Equations (1) correspond to a system  
[ftp.inrialpes.fr/pub/INRIA/projets/SHARP/publications/paromtchik:etal:iser:97.ps.gz](http://inrialpes.fr/pub/INRIA/projets/SHARP/publications/paromtchik:etal:iser:97.ps.gz)

[WAMM \(Wide Area Metacomputer Manager\): User's Guide - Version Ranieri \(Correct\)](#)

PVMTasker: used by wamm to execute remote **commands** and to receive information on PVM tasks running  
[www.hensa.ac.uk/parallel/environments/pvm3/wamm/ug-eng.ps.gz](http://www.hensa.ac.uk/parallel/environments/pvm3/wamm/ug-eng.ps.gz)

[A Layered Approach for an Autonomous Robotic Soccer System - Veloso, Stone, Achim \(1997\) \(Correct\)](#)  
what to do next the client selects navigational **commands** to send to its corresponding robot agent these  
is also provided with a probabilistic predictive **memory** to account for the inaccessibility of the  
[www.cs.cmu.edu/afs/cs/user/mmv/www/papers/soccer:agents.ps.gz](http://www.cs.cmu.edu/afs/cs/user/mmv/www/papers/soccer:agents.ps.gz)

[A Reactive Constraint Logic Programming Scheme - Fages, Fowler, Sola \(1995\) \(Correct\) \(5 citations\)](#)  
to consider external events as query modification **commands**. Maher and Stuckey [11] defined an incremental  
[www.dmi.ens.fr/~fages/Papers/iclp95.ps.gz](http://www.dmi.ens.fr/~fages/Papers/iclp95.ps.gz)

[Parallel Database Management System: Kappa - Kawamura, KAWAMURA \(1994\) \(Correct\) \(2 citations\)](#)  
Kappa-P has two kinds of operations: primitive **commands** and a query language based on extended  
will require more processing power and secondary **memory** to manage it. Such situations requires a parallel  
[www.icot.or.jp/AITEC/PUB/FGCS-Proc/PS/kappa.ps.gz](http://www.icot.or.jp/AITEC/PUB/FGCS-Proc/PS/kappa.ps.gz)

[Vision Based State Space Construction for Learning Mobile... - Uchibe, Asada, Hosoda \(1997\) \(Correct\)](#)  
to collect all the observed data with the motor **commands** taken during the observation and to estimate the  
that I is as small as possible with respect to the **memory** size. For n, complex behaviors of other agents  
[www\\_robotics.com.eng.osaka-u.ac.jp/user/papers/1997/Uchibe97c.ps.gz](http://www_robotics.com.eng.osaka-u.ac.jp/user/papers/1997/Uchibe97c.ps.gz)

[Reactive Visual Control of Multiple Non-Holonomic Robotic Agents - Han, Veloso \(1998\) \(Correct\) \(3 citations\)](#)  
physical robotic effectors execute the motion **commands** generated by the cognition level. In this paper,  
[www.cs.cmu.edu/afs/cs/user/kwunh/www/pubs/visual.ps.gz](http://www.cs.cmu.edu/afs/cs/user/kwunh/www/pubs/visual.ps.gz)

[The Hippocampus And Cerebellum In Adaptively Timed... - Grossberg, Merrill \(1995\) \(Correct\) \(3 citations\)](#)  
to salient cues could prematurely release motor **commands** were not the release of these **commands**  
manuscript. ABSTRACT The concepts of declarative **memory** and procedural **memory** have been used to  
[cns-ftp.bu.edu/pub/diana/GroMer96.ps.gz](http://cns-ftp.bu.edu/pub/diana/GroMer96.ps.gz)

[Experiences With an Environment Generation System - Popovich, Schell, Perry \(Correct\)](#)  
that occur as side effects of normal editing **commands**, and extended **commands**, which, true to their  
[www.bell-labs.com/~dep/work/papers/icse13.ps.gz](http://www.bell-labs.com/~dep/work/papers/icse13.ps.gz)

[System Monitor for Network of Workstations - Isaac Cheng \(Correct\)](#)  
data, we wrote a Perl script that runs system **commands** on each of the machines in NOW. To collect load  
the number and speeds of processors, amount of **memory**, devices, operating system versions and patches,  
[http.cs.berkeley.edu/~isaacc/projects/262r.ps.gz](http://cs.berkeley.edu/~isaacc/projects/262r.ps.gz)

[North American ISDN Users' Forum Application Software Interface... - Part Ms-Dos \(Correct\)](#)  
study. Note: The PE's callback routine should only **queue** messages and return immediately so that the  
6.0. ARDD **Commands**  
error 0x82 Invalid message pointer 0x83 Out of **memory** 0x84 Function not supported 0x85 Interface Busy  
[isdn.ncsl.nist.gov/niuf/404-92-2.ps](http://isdn.ncsl.nist.gov/niuf/404-92-2.ps)

Hybrid Dynamical Systems - Göllü, Varaiya (1993) (Correct) (25 citations)

At the upper layer the supervisor issues symbolic **commands**. Some time after a **command** is issued the read/write head system is better modeled as a **memoryless** logic function which accepts a read or write

[www-path.eecs.berkeley.edu/~gollu/Papers/hds.ps](http://www-path.eecs.berkeley.edu/~gollu/Papers/hds.ps)

Isabelle Tutorial and User's Manual - Paulson, Nipkow (1990) (Correct) (21 citations)

: 13 1.3.1 Basic **commands** :

[turing.wins.uva.nl/~mndr/ACLG/Provers/Isabelle/Papers/ROOT.ps.gz](http://turing.wins.uva.nl/~mndr/ACLG/Provers/Isabelle/Papers/ROOT.ps.gz)

Mars Pathfinder Microrover - Implementing A Low Cost Planetary.. - J.Matijevic (Correct) (4 citations)

to avoid obstacles but continues to achieve the **commanded** goal location 7 .While the vehicle is protocol, **command** and telemetry formats, and the **memory** management and processing architecture of the

[mpfiwww.jpl.nasa.gov/roverctr/naiv/IAA96\\_jake.ps](http://mpfiwww.jpl.nasa.gov/roverctr/naiv/IAA96_jake.ps)

A Computer Algebra Aid To Linear Systems Research - Helton, Stankus, Vityaev (Correct)

and assumes that you are executing it as the first **command** after you load in our packages. Single-letter

[www.math.washington.edu/~vityaev/algdemo.ps](http://www.math.washington.edu/~vityaev/algdemo.ps)

Predictive Memory for an Inaccessible Environment - Mike Bowling (1996) (Correct) (5 citations)

for a client are turn, dash, kick and say. The say **command** cause the simulator to send an auditory message

**Predictive Memory** for an Inaccessible Environment Mike Bowling

[www.cs.cmu.edu/afs/cs/user/mmv/www/papers/IROS96b.ps.gz](http://www.cs.cmu.edu/afs/cs/user/mmv/www/papers/IROS96b.ps.gz)

Tcl/Tk for a Personal Digital Assistant - Karin Petersen (Correct)

Network Application Tcl GUI Tcl Interpreter Tcl **Commands** PDA Workstation Figure 1: Tcl as the link other PDAs. A different approach was used for the **memory** prosthesis project at EuroPARC [LBC 94]in

[sandbox.parc.xerox.com/petersen/vhil.ps.Z](http://sandbox.parc.xerox.com/petersen/vhil.ps.Z)

Intelligent Agents: Theory and Practice - Wooldridge, Jennings (1995) (Correct) (198 citations)

interacts with a software environment by issuing **commands** and interpreting the environment's feedback. A execution. The agent has a limited episodic **memory**, and using this, is able to answer questions

[ftp.elec.qmw.ac.uk/pub/isag/distributed-ai/publications/KE-REVIEW-95.ps.Z](http://ftp.elec.qmw.ac.uk/pub/isag/distributed-ai/publications/KE-REVIEW-95.ps.Z)

Direct Manipulation for Comprehensible, Predictable and.. - Shneiderman (1997) (Correct) (5 citations)

incremental actions and replacement of complex **command-language** syntax by direct manipulation of the

[ftp.cs.umd.edu/pub/hcil/Reports-Abstracts-Bibliography/postscript/97-01.ps](http://ftp.cs.umd.edu/pub/hcil/Reports-Abstracts-Bibliography/postscript/97-01.ps)

The Safety Guaranteeing System at Station Hoorn-Kersenboogerd - Groote, van Vlijmen, Koorn (1995) (Correct) (27 citations)

movement. And a bottom layer which checks whether **commands** issued by the top layer can safely be executed implementing the tool. But, due to the enormous **memory** consumption of this code, this route turned out

[ftp.phil.uu.nl/pub/logic/PREPRINTS/preprint121.ps.Z](http://ftp.phil.uu.nl/pub/logic/PREPRINTS/preprint121.ps.Z)

[Documents 21 to 40](#) [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#).



Find: [Documents](#)[Citations](#)Searching for PHRASE **memory queue**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)42 documents found. Order: **number of citations**.[RSIM: An Execution-Driven Simulator for ILP-Based Shared-Memory.. - Vijay Pai \(1997\)](#) (Correct) (27 citations)FPU Instruction Fetch Logic Branch Prediction **Memory Queue** Floating-point Register File Integer Register  
[www-ece.rice.edu/~sarita/Publications/tcca1097.ps](http://www-ece.rice.edu/~sarita/Publications/tcca1097.ps)[Harnessing User-Level Networking Architectures for... - Madukkarumukumana, Shah \(1998\)](#) (Correct) (10 citations)from multiple work queues to a single **queue**. **Memory** protection for all VI operations is provided  
[www.usenix.org/publications/library/proceedings/usenix-ni98/full\\_papers/madukkarum/madukkarum.pdf](http://www.usenix.org/publications/library/proceedings/usenix-ni98/full_papers/madukkarum/madukkarum.pdf)[Using Speculative Retirement and Larger Instruction.. - Ranganathan, Pai, Adve \(1997\)](#) (Correct) (10 citations)  
of premature store prefetches and insufficient **memory queue** sizes. The second part of the paper proposes  
of premature store prefetches and insufficient **memory queue** sizes. Our second contribution is a new  
[www-ece.rice.edu/~rsim/pubs/SPAA97.ps.Z](http://www-ece.rice.edu/~rsim/pubs/SPAA97.ps.Z)[Design Issues for High Performance Active Routers - Wolf, Turner \(2000\)](#) (Correct) (9 citations)  
used for packet classification and one to a **Queue Memory (QM)** used to store packets awaiting processing  
Since the packets can be brought in from the **Queue Memory** as needed, then promptly written back out, not  
[www.ecs.umass.edu/ece/wolf/papers/izs2000.ps](http://www.ecs.umass.edu/ece/wolf/papers/izs2000.ps)[Scheduling Tree-Dags Using FIFO Queues: A.. - Bhatt, Chung.. \(1996\)](#) (Correct) (8 citations)  
upper and lower bounds on the maximum per-**queue memory** capacity for a k-queue scheduling algorithm  
[www.math.upenn.edu/~chung/treeeq.ps](http://www.math.upenn.edu/~chung/treeeq.ps)[The Impact of Exploiting Instruction-Level.. - Pai, Ranganathan.. \(1999\)](#) (Correct) (4 citations)  
Instruction window (reorder buffer) size 64 **Memory queue** size 32 Outstanding branches 8 Functional  
[www-ece.rice.edu/~parthas/publications/ieee\\_toc99.ps](http://www-ece.rice.edu/~parthas/publications/ieee_toc99.ps)[Performance of Shared Memory in a Parallel Computer - Donovan \(1994\)](#) (Correct) (3 citations)  
wish to know the expected length of the maximum **memory queue** in such a case. As hardware costs go down,  
the  
at the probability distribution of the maximum **memory queue** length. We derive a recurrence relation for  
[cs.nyu.edu/pub/tech-reports/.tr498.ps.Z](http://cs.nyu.edu/pub/tech-reports/.tr498.ps.Z)[Alleviation of Tree Saturation in Multistage.. - Farrens, Wetmore.. \(1991\)](#) (Correct) (3 citations)  
to ignore feedback information. The impact of **memory queue** size, feedback threshold value, and bleeding  
it has been shown that simply increasing **memory queue** sizes is not an effective method of  
[american.cs.ucdavis.edu/publications/Supercomputing91.ps](http://american.cs.ucdavis.edu/publications/Supercomputing91.ps)[Memory Optimization in Single Chip Network Switch Fabrics - David Whelihan Herman \(2002\)](#) (Correct) (2 citations)  
technique for maximizing the effectiveness of **queue memory** in a single chip switch. Next, we show  
output blocks are grouped together with output **queue memory** and a switch-box unit. These nodes are then  
have more than 1 MB per port of output **queue memory**[18]Also, the worst case traffic at any one  
[www.sigda.org/Archives/ProceedingArchives/Dac/Dac2002/papers/2002/dac02/htmlfiles/sun\\_sgi/././pdffiles/34\\_3](http://www.sigda.org/Archives/ProceedingArchives/Dac/Dac2002/papers/2002/dac02/htmlfiles/sun_sgi/././pdffiles/34_3).[Queueing Models Of Shared-Memory Parallel Applications - Jonkers \(1994\)](#) (Correct) (2 citations)  
with a circuit-switched bus. Apart from the **memory queue**, the model contains a delay server  
end Figure 1. SPMD code of the sample program **memory queue** and the delay server are respectively Dm =  
[dutepp0.et.tudelft.nl/pub/gemund/p-ukpew93.ps.Z](http://dutepp0.et.tudelft.nl/pub/gemund/p-ukpew93.ps.Z)

[A Multithreaded-Based Methodology to Solve Irregular Problems - Denneulin Jm \(1996\) \(Correct\) \(2 citations\)](#)  
 like the KSR or the Cray Y-MP. Priority **queue Memory Space** Computing activity Figure 1: Typical  
[www.lifi.fr/~mehaut/publis/POC96.ps.gz](http://www.lifi.fr/~mehaut/publis/POC96.ps.gz)

[A Case for Staged Database Systems - Harizopoulos, Ailamaki \(2003\) \(Correct\) \(1 citation\)](#)  
 where the scheduling objective is to minimize **queue memory** and response times, while providing results at  
[www-db.cs.wisc.edu/cidr/program/p3.pdf](http://www-db.cs.wisc.edu/cidr/program/p3.pdf)

[Slow Memory: the Rising Cost of Optimism - Meyer, Martin, Bagrodia \(2000\) \(Correct\) \(1 citation\)](#)  
 copies each entity state block into a circular **memory queue**. COMPOSE implements a simple Moving Time  
[pcl.cs.ucla.edu/pub/papers/padis2000-memory.ps.gz](http://pcl.cs.ucla.edu/pub/papers/padis2000-memory.ps.gz)

[SBus—MultiKron Interface Functional Description - Joe Thompson \(1993\) \(Correct\) \(1 citation\)](#)  
 This problem can be overcome with a shared-**memory queue** and a pair of hardware and software semaphores  
[www.erc.msstate.edu/thrusts/ca/html/./publications/pab\\_rpt.ps.gz](http://www.erc.msstate.edu/thrusts/ca/html/./publications/pab_rpt.ps.gz)

[Understanding The Effects of Wrong-Path Memory - References On Processor \(2004\) \(Correct\)](#)  
 servicing older instructions' requests earlier. **Memory Queue** and L2 Fill Queue are modeled as FIFO queues.  
 one from the Bus Request Queue and one from the **Memory Queue**. Processor frequency is four times the bus  
 execution can only affect D-Cache Bus Request Queue **Memory Queue** DRAM Memory Banks I-Cache I-Cache  
[www.cs.utah.edu/wmpi2004/papers/paper-139.pdf](http://www.cs.utah.edu/wmpi2004/papers/paper-139.pdf)

[System-On-Chip Internet Firewall - John Lockwood Christopher \(Correct\)](#)  
 and tail pointers for each list -Track free **memory Queue** Management Enqueue packet -Dequeue  
[www.mseconference.org/mse\\_03\\_archive/mse03\\_5\\_Lockwood\\_SOCFirewall.pdf](http://www.mseconference.org/mse_03_archive/mse03_5_Lockwood_SOCFirewall.pdf)

[Juniper Networks, Inc. 1194 North Mathilda Avenue... - Part Number Supporting \(Correct\)](#)  
 discussions of queue scheduling disciplines, **queue memory** management, host TCP congestion-avoidance  
 ahead of it. During periods of congestion, the **queue memory** management and queue scheduling disciplines  
 classes. Generally, you will not use RED as a **queue memory**-management mechanism when supporting the EF  
[www.juniper.net/solutions/literature/white\\_papers/200019.pdf](http://www.juniper.net/solutions/literature/white_papers/200019.pdf)

*First 20 documents* [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: 

Searching for PHRASE **memory dequeue descriptors**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)  
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: **relevance to query**.

[Optimal Parallel Algorithms for Periods, Palindromes and... - Apostolico, al. \(1992\) \(Correct\) \(1 citation\)](#)  
 model, many processors have access to a shared **memory**. Concurrent read and write operations are allowed  
[www.cs.columbia.edu/~dany/papers/ppsicalp.ps.Z](http://www.cs.columbia.edu/~dany/papers/ppsicalp.ps.Z)

[TLA+ Verification of Cache-Coherence Protocols - Akhiani, Doligez, Harter.. \(1999\) \(Correct\)](#)  
 . 3 3 The EV6 Project 4 3.1 The Alpha **Memory** Model .5  
[www.research.digital.com/SRC/personal/Leslie\\_Lamport/tla/fm99.ps.Z](http://www.research.digital.com/SRC/personal/Leslie_Lamport/tla/fm99.ps.Z)

[Relearning After Damage in Connectionist Networks: Toward a... - David Plaut \(1996\) \(Correct\) \(1 citation\)](#)  
 high-level vision and attention, learning and **memory**, speech and language processing, and the  
[www.cnbc.cmu.edu/~plaut/papers/Plaut96BrLang.rehab.ps](http://www.cnbc.cmu.edu/~plaut/papers/Plaut96BrLang.rehab.ps)

[Software Issues in Characterizing Web Server Logs - Balachander Krishnamurthy \(1998\) \(Correct\) \(2 citations\)](#)  
 This can introduce substantial computational and **memory** overheads in processing the data. fl Data  
[www.research.att.com/~jrex/papers/w3c.logs.ps](http://www.research.att.com/~jrex/papers/w3c.logs.ps)

[Designing Parallel Programs by the Graphical Language GRAPNEL - Eter Kacsuk \(1996\) \(Correct\) \(15 citations\)](#)  
 have been proposed for such distributed **memory** concurrent computer systems. They include  
[www.kfki.hu/~mszkihp/info/ParComp/papers/EuroMicroPSE-grapnel.ps.Z](http://www.kfki.hu/~mszkihp/info/ParComp/papers/EuroMicroPSE-grapnel.ps.Z)

[Application-Controlled File Caching Policies - Cao, Felten, Li \(1994\) \(Correct\) \(58 citations\)](#)  
 pages (replacement) Previous work on two-level **memory** management has focused on replacement, largely  
[ftp.cs.princeton.edu/reports/1994/445.ps.Z](http://ftp.cs.princeton.edu/reports/1994/445.ps.Z)

[The Zebra Striped Network File System - Hartman, Ousterhout \(1993\) \(Correct\) \(152 citations\)](#)  
 the performance of a single server, including its **memory** bandwidth and the speed of its processor, network  
[www.cs.arizona.edu/people/jhh/papers/zebra\\_tocs.ps](http://www.cs.arizona.edu/people/jhh/papers/zebra_tocs.ps)

[Beyond Depth-First: Improving Tabled Logic Programs through... - Freire \(1996\) \(Correct\) \(9 citations\)](#)  
 be efficient in terms of time and space for in-**memory** queries. 16] showed that, compared to Prolog,  
[www.cs.sunysb.edu/~tswift/webpapers/pliip-96.ps.gz](http://www.cs.sunysb.edu/~tswift/webpapers/pliip-96.ps.gz)

[Hardware for Speculative Reduction Parallelization and ... - Zhang, Rauchwerger.. \(1999\) \(Correct\) \(2 citations\)](#)  
 in an effective manner on Distributed Shared-Memory (DSM) multiprocessors, some important codes would  
[www.apache.imag.fr/manifestations/PCIA/paper6.ps](http://www.apache.imag.fr/manifestations/PCIA/paper6.ps)

[Performance Comparison Of Video Transport Over ATM... - Hossain, Kang, Horst \(Correct\)](#)  
 or MPEG-1) mmmaps the video file to the user **memory**, then gradually reads an integral number of  
 writes a chain of BTE (Block Transfer Engine) **descriptors** in the main **memory** (MM) of machine A (Figure  
**memory** (MM) of machine A (Figure 7) Each BTE **descriptor** is responsible for 4 KBytes (max) of data (for  
[berserk.vlsi.uiuc.edu/people/ashfaq/ieee.mm97.ps](http://berserk.vlsi.uiuc.edu/people/ashfaq/ieee.mm97.ps)

[JaDE: Access Control in a Java-Based Object Database - Jones Winslett \(1995\) \(Correct\) \(1 citation\)](#)  
 that eliminates the possibility of overwriting **memory** and corrupting data [Cor95a] The Java compiler  
[drl.cs.uiuc.edu/security/..pubs/oowkshop.ps](http://drl.cs.uiuc.edu/security/..pubs/oowkshop.ps)

[Tiling with Limited Resources - Calland, Dongarra, Robert \(1997\) \(Correct\) \(4 citations\)](#)  
 with pipelined arithmetic units and a multi-level **memory** hierarchy (this is illustrated by recasting  
[www.netlib.org/tennessee/ut-cs-97-350.ps](http://www.netlib.org/tennessee/ut-cs-97-350.ps)

[Fault Tolerant Matrix Operations for Networks of Workstations.. - Kim, Plank \(1997\) \(Correct\) \(6 citations\)](#)  
and rollback recovery using processor and **memory** redundancy with any reliance on disk. Its  
[www.netlib.org/utk/papers/hpc97/hpc97.ps](http://www.netlib.org/utk/papers/hpc97/hpc97.ps)

[An Architecture for Optimal All-to-All Personalized.. - Hinrichs, Kosak.. \(1994\) \(Correct\) \(38 citations\)](#)  
four messages simultaneously, i.e. have twice the **memory** bandwidth as incoming network bandwidth. Horie  
[www.cs.cmu.edu/afs/cs.cmu.edu/project/iwarp/archive/iWarp-papers/cmu-cs-94-140-all-to-all.ps](http://www.cs.cmu.edu/afs/cs.cmu.edu/project/iwarp/archive/iWarp-papers/cmu-cs-94-140-all-to-all.ps)

[Tools for Building Asynchronous Servers to Support Speech and.. - Arons \(1992\) \(Correct\) \(6 citations\)](#)  
the server itself, such as number of clients, **memory** usage, etc. Each service is provided on a  
information from sockets, additional file **descriptors** can be registered with the SM. This allows  
2 i.e.all arguments are call by value. file **descriptor** that identifies the entity on the other end of  
[www.media.mit.edu/people/barons/papers/AsynchAudioServerTools-UIST92.ps](http://www.media.mit.edu/people/barons/papers/AsynchAudioServerTools-UIST92.ps)

[SAGE Storytellers: Learning about Identity, Language and Technology - Umaschi \(1996\) \(Correct\) \(1 citation\)](#)  
stories are fundamental constituents of human **memory** and new experiences are interpreted in terms of  
Each inspirational story is indexed with three **descriptors**: Commandments"Nouns" and "Verbs"The  
about the point being made by that story. The **descriptor** "Commandments" is weighted more heavily because  
[gn.www.media.mit.edu/groups/gn/publications/marina\\_icls\\_96.ps](http://gn.www.media.mit.edu/groups/gn/publications/marina_icls_96.ps)

[A Polygonal Approximation to Direct Scalar Volume Rendering - Shirley, Tuchman \(1990\) \(Correct\) \(86 citations\)](#)  
volume rendering, but is faster and has smaller **memory** requirements. The method is best suited for  
data. CR Categories and Subject **Descriptors**: I.3.0 [Computer Graphics]General I.3.5  
[ftp.csrd.uiuc.edu/pub/CSRD\\_Reports/reports/1006.ps.gz](http://ftp.csrd.uiuc.edu/pub/CSRD_Reports/reports/1006.ps.gz)

[The Threaded Communication Library: Preliminary Experiences.. - Elmasri, Hum, Gao \(1995\) \(Correct\) \(1 citation\)](#)  
model. Our experimental platform is a distributed **memory** machine called MANNA [6]An interesting feature  
[ftp.capsl.udel.edu/pub/doc/acaps/papers/CS95.ps.gz](http://ftp.capsl.udel.edu/pub/doc/acaps/papers/CS95.ps.gz)

[Building Multithreaded Architectures with Off-the-Shelf.. - Hum, al. \(1994\) \(Correct\) \(15 citations\)](#)  
as the basis of program execution, and the MTA **memory** hierarchy. Section 3 gives more details about the  
[ftp.capsl.udel.edu/pub/doc/acaps/papers/PPS94.ps.gz](http://ftp.capsl.udel.edu/pub/doc/acaps/papers/PPS94.ps.gz)

*First 20 documents* [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: [Documents](#)[Citations](#)Searching for PHRASE **memory head tail**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Automated Verification of Concurrent Linked - Lists With Counters](#) (Correct)

"denotes that the verifier ran out of **memory**. Number of Queue Stack TwoLockQueue Processes HC integer variables and heap variables such as **head** 6= null lnumItems ?0. The presented technique Linked Lists 3 module main(heap -next **head**, **tail**, add, get, newHead boolean mutex integer www.cs.ucsb.edu/~bultan/publications/sas02.ps

[Type Name - Expression Can Be](#) (Correct)

"consume: buffer empty" endl return-1 c =cb[**head**]length-incr(**head**)increment with produce: buffer full" endl return-1 cb[**tail**] c lengthincr(**tail**)return 0 OOP3-36 endl return-1 cb[**tail**] c lengthincr(**tail**)return 0 OOP3-36 ICM private: int symbolicnet.mcs.kent.edu/~pwang/cop/slide3-2D.pdf

[Enhanced Schema-Based Transformations for Logic Programs... - Vasconcelos, Fuchs \(1995\)](#) (Correct) (2 citations)

the following schema schema\_A(1schema\_A(**Head**|**Tail**)2pre\_process(3**Head**,4 following schema schema\_A(1schema\_A(**Head**|**Tail**)2pre\_process(3**Head**,4 pre\_process(3**Head**,4schema\_A(**Tail**,5post\_process(6**Head**,7where the ftp.ifi.unizh.ch/pub/techreports/TR-95/ifi-95.16.ps.gz

[Theory and Simulation of the Electron Cloud Instability - Rumolo And Zimmermann](#) (Correct) (2 citations)

instabilities on a circulating beam through a **head-tail** coupling mechanism. The oscillation frequency instabilities on a circulating beam through a **head-tail** coupling mechanism. The oscillation frequency of in plasma physics. In this case, the **head** and the **tail** motions of a single bunch are coupled by the wwwslap.cern.ch/collective/electron-cloud/chamonix11/cham\_GR.pdf

[Transverse Performance Of The Proton Beam Delivered - The Cern Ps](#) (Correct)

Furthermore, collective effects, such as high-order **head-tail** instabilities induced by the resistive-wall collective effects, such as high-order **head-tail** instabilities induced by the resistive-wall horizontal coupled-bunch instabilities having **head-tail** mode number m =5and coupledbunch mode numbern accelconf.web.cern.ch/accelconf/e00/PAPERS/MOP6B06.pdf

[Single Bunch Collective Effects in the ALS - Byrd Corlett And](#) (Correct)

energy spread increase, HOM loss measurements, **head-tail** damping rates, current dependent tune shifts, energy spread increase, HOM loss measurements, **head-tail** damping rates, current dependent tune shifts, and betatron tune shift vs. bunch current and the **head-tail** damping rate vs. bunch current and chromaticity. www.aps.anl.gov/conferences/mirrored/www.cern.ch/accelconf/p95/ARTICLES/WXE/WXE06.PDF

[Information Theory and Neural Network Learning Algorithms - Plumbley \(1992\)](#) (Correct) (2 citations)

. If one of the outcomes has probability P(w) w **head tail** 1.0 P(w|X=**head**) w **head tail** 1.0 (a) b) one of the outcomes has probability P(w) w **head tail** 1.0 P(w|X=**head**) w **head tail** 1.0 (a) b) Figure P(w) w **head tail** 1.0 P(w|X=**head**) w **head tail** 1.0 (a) b) Figure 1. Probabilities of coin www.eee.kcl.ac.uk/~mdp/papers/1992/irish92.ps.gz

[Separate Compilation for - Matthias Blume Department](#) (Correct)

(define-type streams-sig (signature (nil **head tail** stream-cons) constant nil any) constant (define-type streams-sig (signature (nil **head tail** stream-cons) constant nil any) constant **head** any) constant **head** (proc any -any)constant **tail** (proc any -any)use scheme-sig) define-syntax www.cs.Princeton.edu/~blume/modules.ps

[Subassembly Generation via Mechanical Conformational Switches - Saitou, Jakiela \(1995\)](#) (Correct) (1 citation)

1 Artificial Life 2(4)377-416, 1995. 2 **Tail Head Tail Fiber** Figure 1: the pathway of T4 Artificial Life 2(4)377-416, 1995. 2 **Tail Head Tail Fiber** Figure 1: the pathway of T4 bacteriophage shows formation of a subassembly a **head** and a **tail** form a **head-tail** subassembly, and this subassembly  
[www-personal.engin.umich.edu/~kazu/papers/alifej-95b.pdf](http://www-personal.engin.umich.edu/~kazu/papers/alifej-95b.pdf)

Auburn: A Kit for Benchmarking Functional Data Structures - Graeme Moss And (1997) (Correct) (1 citation)  
 [Oka96a]module Queue (Queue,empty,snoc,**tail**,**head**,isEmpty) where empty :Queue a snoc :Queue a -  
 from [Oka96a]module Queue (Queue,empty,snoc,**tail**,**head**,isEmpty) where empty :Queue a snoc :Queue  
 empty :Queue a snoc :Queue a -a -Queue a **tail** :Queue a -Queue a **head** :Queue a -a isEmpty  
[ftp.cs.york.ac.uk/pub/colin/fli97m.ps.gz](http://ftp.cs.york.ac.uk/pub/colin/fli97m.ps.gz)

Slac-Pub-95-6965 - August Transverse Multibunch (Correct)  
 mechanism for the rigid ( $m=0$ ) motion to drive the **head-tail** ( $m=1$ ) motion, or vice-versa (only  
 for the rigid ( $m=0$ ) motion to drive the **head-tail** ( $m=1$ ) motion, or vice-versa (only considering  
**head** of the bunch sees no wakefield, whereas the **tail** of the bunch sees the wakefield of the entire  
[jsberg.home.cern.ch/jsberg/docs/ps/95-6965.ps.gz](http://jsberg.home.cern.ch/jsberg/docs/ps/95-6965.ps.gz)

Coalgebraic Modal Logic of Finite Rank - Kurz, Pattinson (Correct)  
 a set  $D$  consider  $TX = DX$ . Given a coalgebra **head**, **tail**  $\# C$  DC the behaviour of an element  $c$   
 $D$  consider  $TX = DX$ . Given a coalgebra **head**, **tail**  $\# C$  DC the behaviour of an element  $c$   $C$  is  
 element  $c$   $C$  is the infinite list **head**( $c$ )**head**(**tail**( $c$ ))**head**(**tail**(**tail**( $c$ )))Accordingly, the  
[www.cwi.nl/~kurz/SEN-R0222/SEN-R0222.ps.gz](http://www.cwi.nl/~kurz/SEN-R0222/SEN-R0222.ps.gz)

Static Typing for Dynamic Messages - Nishimura (1998) (Correct) (8 citations)  
 method map(msglst) case msglst of [j **head**:**tail** )self/**head**)self/map(**tail**)end where  
 map(msglst) case msglst of [j **head**:**tail** )self/**head**)self/map(**tail**)end where [  
 of [j **head**:**tail** )self/**head**)self/map(**tail**)end where [stands for an empty list,  
[ftp.kurims.kyoto-u.ac.jp/pub/paper/member/nisimura/dmesg-popl98-a4.ps.gz](http://ftp.kurims.kyoto-u.ac.jp/pub/paper/member/nisimura/dmesg-popl98-a4.ps.gz)

Definability, Canonical Models, Compactness for Finitary... - Kurz (2002) (Correct)  
 behaviour of an element  $a$   $2 A$  is the infinite list (**head**( $a$ ))**head**(**tail**( $a$ ))**head**(**tail**(**tail**( $a$ )))  
 $D$  consider  $TX = DX$ . Given a coalgebra **head** **tail**  $! A$  !DA the (complete) behaviour of an element  
 an element  $a$   $2 A$  is the infinite list (**head**( $a$ ))**head**(**tail**( $a$ ))**head**(**tail**(**tail**( $a$ )))Accordingly, the  
[www.pst.informatik.uni-muenchen.de/~pattinson/Publications/cmcs2002.ps.gz](http://www.pst.informatik.uni-muenchen.de/~pattinson/Publications/cmcs2002.ps.gz)

Observation Of Vertical Beam Blow-Up In Keks Low Energy Ring - Fukuma Akai Akasaka (Correct)  
 the electron cloud appears as either weak or strong **head-tail** instability. A beam-size blow-up will be  
 cloud appears as either weak or strong **head-tail** instability. A beam-size blow-up will be observed  
 blow-up will be observed as a result of the **head-tail** oscillation of the instability. In this model the  
[wwwslap.cern.ch/collective/electron-cloud/kekb/WEP5A12.pdf](http://wwwslap.cern.ch/collective/electron-cloud/kekb/WEP5A12.pdf)

WebGrid: Knowledge Modeling and Inference through the World... - Brian Gaines And (1996) (Correct)  
 (1 citation)  
 mm mm mm mm errors sign wind -**tail** **head** **head** **tail** **tail** **head** **tail** **head** mag -out  
 mm mm mm mm mm mm errors sign wind -**tail** **head** **head** **tail** **tail** **head** **tail** **head** mag -  
 mm errors sign wind -**tail** **head** **head** **tail** **tail** **head** **tail** **head** mag -out light med  
[repgrid.com/reports/KBS/KMD/KMD.pdf](http://repgrid.com/reports/KBS/KMD/KMD.pdf)

An Interconnect Energy Model Considering Coupling Effects - Uchino, Cong (Correct) (2 citations)  
 where  $A_{vi} 1$  ( $A_{vi} 1$ ) if node  $v$  is the **head** (**tail**) 1 of edge  $i$ , and  $A_{vi} 0$  otherwise.  
 $A_{vi} 1$  ( $A_{vi} 1$ ) if node  $v$  is the **head** (**tail**) 1 of edge  $i$ , and  $A_{vi} 0$  otherwise. The  
 where  $i j$  (the  $j$ -th element of  $vec-1$  The **head** (**tail**) of an edge is the node to (from) which the edge  
[ballade.cs.ucia.edu/~cong/papers/34\\_21.pdf](http://ballade.cs.ucia.edu/~cong/papers/34_21.pdf)

RPT: A Low Overhead Single-End Probing Tool - For Detecting Network (2003) (Correct)  
 destination. Traceroute sets the TTL in the IP **header** to trigger responses from the routers along the  
 packet is linearly incremented from the **head/tail** packet, and the **head/tail** packet has TTL value 1.  
 incremented from the **head/tail** packet, and the **head/tail** packet has TTL value 1. The train in Figure 1 can  
[reports-archive.adm.cs.cmu.edu/anon/2003/CMU-CS-03-218.ps](http://reports-archive.adm.cs.cmu.edu/anon/2003/CMU-CS-03-218.ps)

Study Of Fast Ion Instability At Keks Electron Ring - Ohnishi Fukuma Kikutani (Correct)

bunches passing through the BOR were stored in the **memory** turn by turn up to 4096 turns which corresponds in a bunch train. The bunch oscillations in the **head** of the bunch train is very small in comparison bunch train is very small in comparison with the **tail** as shown in Fig. 2(d) This behavior may show ions  
accelconf.web.cern.ch/AccelConf/e00/PAPERS/WEF1A07.pdf

ParaDOS: A Parameterized, Parallel and Distributed Operational.. - Smith (1998) (Correct)  
usually takes the form of a common, shared **memory** space accessible by a PDS's executing processes,  
(test3) Value: 42 60 e (cdr c) d)Case 5: if **head**(C) and **head**(tail(S)) is a predef. function f  
e (cdr c) d)Case 5: if **head**(C) and **head**(tail(S)) is a predef. function f (and (eval? car c)  
www.cs.ucf.edu/~mlsmith/tr9905.pdf

*First 20 documents* [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: [Documents](#)[Citations](#)Searching for PHRASE **memory head tail**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[SL Note 2001-043 \(MD\) - Measurements Of Sps \(2001\)](#) (Correct)

of SPS SingleBunch Coherent Tune Shifts and Head-Tail Growth Rates in the Year 2001 H. Burkhardt,  
 of SPS SingleBunch Coherent Tune Shifts and Head-Tail Growth Rates in the Year 2001 H. Burkhardt, G.  
 measurements based on coherent tune shift and head-tail growth and decay rates is based on Sacherer [7]  
[sl.web.cern.ch/SL/Publications/md2001-043.pdf](http://sl.web.cern.ch/SL/Publications/md2001-043.pdf)

[Practical Issues Of 2-D Parallel Finite Element Analysis - Michelle Hribar](#) (Correct)

appropriate, the impact on the subdomain size, the memory requirements versus the actual memory of the  
 of 480 bytes of data and 32 bytes for the header [8]3.2 Communication Parameters The ff, fi,  
[ece.nwu.edu/pub/CELERO/picpp94.ps.gz](http://ece.nwu.edu/pub/CELERO/picpp94.ps.gz)

[Using PVM 3.0 to Run Grand Challenge Applications on... - Dongarra, Geist.. \(1992\)](#) (Correct)

on the nodes of several different distributed memory multiprocessors as though they constitute one  
 [K s K r (rh rz)q where h is the pressure head, t is time, K s is the saturated hydraulic  
[ftp.netlib.org/ncwn/siam93-pvmgc.ps](http://ftp.netlib.org/ncwn/siam93-pvmgc.ps)

[Customized Dynamic Load Balancing for a Network of... - Zaki, Li, Parthasarathy \(1995\)](#) (Correct) (19 citations)

scalability in terms of computation power and memory size. With the rapid advances in new high speed  
[ftp.cs.rochester.edu/pub/papers/systems/95.tr602.Customized\\_dynamic\\_load\\_balancing.ps.gz](http://ftp.cs.rochester.edu/pub/papers/systems/95.tr602.Customized_dynamic_load_balancing.ps.gz)

[On the Utility of Threads for Data Parallel Programming - Fahringer, Haines, Mehrotra \(1995\)](#) (Correct) (4 citations)

a lightweight thread package for distributed memory multiprocessors, called Chant [5]to encode 2  
[ftp.icase.edu/pub/techreports/95/95-35.ps.Z](http://ftp.icase.edu/pub/techreports/95/95-35.ps.Z)

[Automatic Data Decomposition for Message-Passing Machines - Damian-lordache, Pemmaraju \(1997\)](#) (Correct) (1 citation)

data distributions)1 Introduction Distributed-memory message-passing parallel computers are becoming  
[ftp.cs.uiowa.edu/pub/sriram/graphs/lcpcTr.ps.gz](http://ftp.cs.uiowa.edu/pub/sriram/graphs/lcpcTr.ps.gz)

[Thread Migration and its Applications in Distributed... - Itzkovitz, Schuster, ... \(1996\)](#) (Correct) (37 citations)

and W. Zwaenepoel. Treadmarks: Distributed Shared Memory on Standard Workstations and Operating  
 Systems.  
[casaturn.kaist.ac.kr/~sikang/course/CS614/ISW96.ps.gz](http://casaturn.kaist.ac.kr/~sikang/course/CS614/ISW96.ps.gz)

[Mesh Component Design and Software Integration within SUMAA3d - Freitag, Jones, Plassmann](#) (Correct)

x Abstract The requirements of distributed-memory applications that use mesh management software  
[info.mcs.anl.gov/pub/tech\\_reports/reports/P726.ps.Z](http://info.mcs.anl.gov/pub/tech_reports/reports/P726.ps.Z)

[Foundation for - Research And](#) (Correct)

exploited, while still guaranteeing a low level of memory contention, so that performance does not suffer  
[ftp.ics.forth.gr/lydia/Publications/Mavronic\\_pubi1.ps.gz](http://ftp.ics.forth.gr/lydia/Publications/Mavronic_pubi1.ps.gz)

[Some MPEG Decoding Functions on Spert An Example for Assembly... - Formella \(1994\)](#) (Correct) (1 citation)

merge) Spert is a board equipped with one T0 and memory which can be used in a workstation. In the  
[ftp.icsi.berkeley.edu/pub/techreports/1994/tr-94-027.ps.gz](http://ftp.icsi.berkeley.edu/pub/techreports/1994/tr-94-027.ps.gz)

[Using Write Protected Data Structures To Improve Software Fault... - Sullivan \(1991\)](#) (Correct) (10 citations)

a record it intends to update into unprotected memory and updates the copy. At the end of transaction,  
 call. While the page is unprotected, the page header can be manipulated directly (for updates and  
[s2k-ftp.cs.berkeley.edu:8000/postgres/papers/ERL-M91-56.ps.Z](http://s2k-ftp.cs.berkeley.edu:8000/postgres/papers/ERL-M91-56.ps.Z)



[Parallel Solutions to Geometric Problems in the Scan Model.. - Blleloch, Little \(1994\) \(Correct\) \(7 citations\)](#)  
 access machines) attached to a single shared **memory**. Processors communicate through the shared segment. The segments will never overlap and the head is easy to identify (a pointer to SAMPLEUP(v) [www.cs.cmu.edu/afs/cs.cmu.edu/project/scandal/public/papers/jcss-geom.ps.gz](http://www.cs.cmu.edu/afs/cs.cmu.edu/project/scandal/public/papers/jcss-geom.ps.gz)

[User-Level DMA without Operating System Kernel Modification - Markatos, Katevenis \(1997\) \(Correct\) \(7 citations\)](#)

Abstract Direct Memory Access (DMA) is frequently used to transfer data  
[www.ccsf.caltech.edu/~markatos/avg/papers/1997.HPCA97.user\\_level\\_dma.ps.gz](http://www.ccsf.caltech.edu/~markatos/avg/papers/1997.HPCA97.user_level_dma.ps.gz)

[An Effective Design System for Dynamically Reconfigurable.. - Sriram Govindarajan \(Correct\) \(2 citations\)](#)  
 (rc) that consists of a multi-fpga board with **memory** banks and interconnection fabric, is being widely  
[www.ece.uc.edu/~sriram/papers/fccm98.ps](http://www.ece.uc.edu/~sriram/papers/fccm98.ps)

[Fractional Brownian Motion and the Markov Property - Carmona, Coutin \(1998\) \(Correct\) \(2 citations\)](#)  
 Brownian motion belongs to a class of long **memory** Gaussian processes that can be represented as  
[www-sv.cict.fr/lsp/Carmona/fbmarkov.ps](http://www-sv.cict.fr/lsp/Carmona/fbmarkov.ps)

[Coordinated Checkpointing-Rollback Error Recovery for.. - Janakiraman, Tamir \(1994\) \(Correct\) \(32 citations\)](#)  
 Error Recovery for Distributed Shared **Memory** Multicomputers G. Janakiraman and Yuval Tamir  
[ftp.cs.ucla.edu/tech-report/94-reports/940027.ps.Z](http://ftp.cs.ucla.edu/tech-report/94-reports/940027.ps.Z)

[Algorithmic Redistribution Methods for Block Cyclic.. - Petitet, Dongarra \(1998\) \(Correct\) \(9 citations\)](#)  
 of the hardware resources. In a distributed-**memory** environment, load balance is the essential  
[netlib.uow.edu.au/lapack/lawns/lawn133.ps](http://netlib.uow.edu.au/lapack/lawns/lawn133.ps)

[Matching Micro-Kernels to Modern Applications using.. - Ciaran Bryce \(1995\) \(Correct\) \(3 citations\)](#)  
 to Modern Applications using Fine-Grained **Memory** Protection Ciaran Bryce & Gilles Muller  
 discussed in section 5. Protected modules contain a header code which is invoked on each PPC this code is  
 our approach allows certain system functions to be tailored to a particular application's needs we are  
[www.fcul.research.ec.org/broadcast/trs//papers/97.ps](http://www.fcul.research.ec.org/broadcast/trs//papers/97.ps)

[Documents 21 to 40](#) [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: [Documents](#)[Citations](#)

Searching for PHRASE **memory data structure**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)

[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

16 documents found. Order: number of citations.

[SPRINT: A Scalable Parallel Classifier for Data Mining - Shafer, Agrawal, Mehta \(1996\) \(Correct\) \(130 citations\)](#)

all the time. Since the size of this in-memory data structure grows in direct proportion to the number  
[www.almaden.ibm.com/cs/people/ragrawal/papers/vidb96\\_sprint.ps](http://www.almaden.ibm.com/cs/people/ragrawal/papers/vidb96_sprint.ps)

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

[Fine-grain Access Control for Distributed Shared Memory - Schoinas \(1994\) \(Correct\) \(108 citations\)](#)

The code in a software lookup checks a main-memory data structure to determine the state of a block before  
[www.ece.purdue.edu/~babak/papers/asplos-vi.ps](http://www.ece.purdue.edu/~babak/papers/asplos-vi.ps)

[On Optimal Multiversion Access Structures - Becker, Gschwind, Ohler.. \(1993\) \(Correct\) \(26 citations\)](#)

More precisely, any single version main memory data structure in a very general class, based on  
[ftp.inf.ethz.ch/doc/papers/ti/grpw/ssd93.ps.gz](http://ftp.inf.ethz.ch/doc/papers/ti/grpw/ssd93.ps.gz)

[High-dimensional Similarity Joins - Shim, Srikant, Agrawal \(1997\) \(Correct\) \(23 citations\)](#)

called the ffl-kdB tree. This is a main-memory data structure optimized for performing similarity  
[www.almaden.ibm.com/cs/quest/papers/de97\\_ekdb.ps](http://www.almaden.ibm.com/cs/quest/papers/de97_ekdb.ps)

[Cryptfs: A Stackable Vnode Level Encryption File System - Zadok, Badulescu, Shender \(1998\) \(Correct\) \(15 citations\)](#)

privileges, Cryptfs maintains keys in an in-memory data structure that associates keys not with UIDs alone  
[ftp.cs.columbia.edu/reports/reports-1998/cucs-021-98.ps.gz](http://ftp.cs.columbia.edu/reports/reports-1998/cucs-021-98.ps.gz)

[Design and Performance Evaluation of a Multithreaded... - Govindarajan.. \(1995\) \(Correct\) \(15 citations\)](#)

S.U. F.U. I.I.R I.I.R I.R Router Memory Data Structure To other PEs .Queue Score Board  
[www.acaps.cs.mcgill.ca/~govind/HPCA-95.ps.gz](http://www.acaps.cs.mcgill.ca/~govind/HPCA-95.ps.gz)

[Scalable Mining for Classification Rules in Relational... - Wang, Iyer, Vitter \(1998\) \(Correct\) \(6 citations\)](#)

classifiers [21, 25] need an in-memory data structure of size  $O(N)$  where  $N$  is the size of the  
[www.cs.duke.edu/~jsv/Papers/WIV98.classification.ps.gz](http://www.cs.duke.edu/~jsv/Papers/WIV98.classification.ps.gz)

[The String B-Tree: A New Data Structure for String Search in ... - Ferragina, Grossi \(1998\) \(Correct\) \(4 citations\)](#)

memory. As far as traditional external-memory data structures are concerned, inverted files [39]  
[www.math.tau.ac.il/~matias/courses/papers/string\\_btrees.ps](http://www.math.tau.ac.il/~matias/courses/papers/string_btrees.ps)

[Toward a Machine Assisted Software Performance Diagnosis... - Mathur, Abrams \(1993\) \(Correct\) \(2 citations\)](#)

strong hypothesis defines a code segment or memory data structure  $X$  as a primary performance bottleneck  
and  
[www.cs.vt.edu/~chitra/docs/93tr-12.ps](http://www.cs.vt.edu/~chitra/docs/93tr-12.ps)

[Building Common Lisp Applications with Reasonable Performance - Boreczky, Rowe \(1993\) \(Correct\) \(1 citation\)](#)

ad hoc queries to a database. The main memory data structure for the facility floorplan including  
[www.unfortu.net/pub/db/picasso/Picasso-papers/LUV93.ps.Z](http://www.unfortu.net/pub/db/picasso/Picasso-papers/LUV93.ps.Z)

[A User's Manual and Guide to an SDM Simulator on a Connection ... - Marshall, Meeden \(1989\) \(Correct\)](#)

comprise the entire sparse distributed memory data structure. 2.2 Read and Write Operations To  
[www.cs.swarthmore.edu/~meeden/meeden.sdm.manual.ps.Z](http://www.cs.swarthmore.edu/~meeden/meeden.sdm.manual.ps.Z)

Efficient Searching with Linear Constraints (Extended .. - Agarwal, Arge.. (Correct)

a set  $S$  of points in  $R^d$  into an external **memory data structure** that efficiently supports  
[www.cs.duke.edu/~large/Papers/halfspace.ps](http://www.cs.duke.edu/~large/Papers/halfspace.ps)

High-dimensional Proximity Joins - Shim, Srikant, Agrawal (Correct)

called the  $fl-kd$  tree. This is a main-**memory data structure** optimized for performing proximity joins.  
[www.almaden.ibm.com/cs/people/srikant/papers/de97\\_rj.ps](http://www.almaden.ibm.com/cs/people/srikant/papers/de97_rj.ps)

Efficient Window Block Retrieval in Quadtree-Based Spatial.. - Aref, Samet (1996) (Correct)

This is achieved by using an auxiliary main **memory data structure** called the active border which requires  
[www.cs.umd.edu/~hjs/pubs/geoinformatica97.ps.gz](http://www.cs.umd.edu/~hjs/pubs/geoinformatica97.ps.gz)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: [Documents](#)[Citations](#)Searching for PHRASE **head pointer queue memory data structure**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[A Compilation Approach for Fortran 90D/HPF Compilers on... - Zeki Bozkus \(1993\) \(Correct\) \(8 citations\)](#)  
 not generate code for scheduling but it passes a **pointer** to the already existing schedule. Furthermore, for Fortran 90D/HPF Compilers on Distributed **Memory** MIMD Computers Zeki Bozkus, Alok Choudhary y prone because the user must perform the task of **data** distribution and communication for non-local **data**  
<ftp.npac.syr.edu/pub/docs/sccs/papers/ps/0450/sccs-0499.ps.Z>

[Space Efficient Parallel Buddy Memory Management - Johnson, Davis \(1992\) \(Correct\) \(5 citations\)](#)  
 satisfy the request by allocating the block at the **head** of the level i free list, if possible. If there is into a single word) Free blocks also contain two **pointers** to maintain a doubly linked list. The buddy requests for **memory** blocks of size i. 3. **Queue**: A **queue** of blocked allocate requests. 4. **Lock**: A  
<ftp.cis.ufl.edu/cis/tech-reports/tr92/tr92-008.ps>

[Providing Real-Time Response, State Recency and Temporal... - Datta, Viguier \(1996\) \(Correct\)](#)  
 install U(D j ) However, when U(D i ) reaches the **head** of the update **queue**, it would be discarded (i.e. of sensor **data** include link utilization and node **queue** lengths from the network management domain, stock any such assumption. Additionally, 3] considers a **memory** resident **database** while we consider a disk  
<loochi.bpa.arizona.edu/pub/publications/sigmod96.ps.gz>

[Case Study: Observing a Volume Rendered Fetus... - State, Chen.. \(1994\) \(Correct\) \(6 citations\)](#)  
 Augmented reality systems with see-through **head**mounted displays have been used primarily for as overlays for wiring guides or informational **pointers**, will be able to get by, but applications with 1 Introduction Interpreting 3D radiological **data** is difficult for nonexperts because understanding  
[www.cs.unc.edu/Research/stc/pubs/volume\\_\\_renedered\\_\\_fetus.ps.gz](www.cs.unc.edu/Research/stc/pubs/volume__renedered__fetus.ps.gz)

[Databases for Active, Rapidly, Changing data Systems \(ARCS\) and... - Datta \(1996\) \(Correct\) \(1 citation\)](#)  
 the sensor **data** may include variables such as node **queue** lengths, retransmission rates, link status and That Is Used By The Procedures. The St Array Is A **Memory** Resident Array Of Dimension Numsensor Where The  
**Databases for Active, Rapidly, Changing data Systems**  
<loochi.bpa.arizona.edu/pub/publications/tse.ps.gz>

[Principal Component Analysis on Vector Computers - Martin, Blanco, Heras.. \(1995\) \(Correct\) \(1 citation\)](#)  
 are too short .ffl Loop fusion. ffl Optimize **memory** access, exploiting **data** locality. ffl Unroll in as a statistical tool for reducing multivariate **data** encountered in applied statistical research to a purpose of analysing covariance and correlation **structures**. Since then, it has become increasingly popular  
<ftp.ac.uma.es/pub/reports/1995/UMA-DAC-95-21.ps.gz>

[An Introduction to Disk Drive Modeling - Ruemmler, Wilkes \(1994\) \(Correct\) \(258 citations\)](#)

Find: [Documents](#)[Citations](#)

Searching for PHRASE **head pointer queue memory**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)  
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Patterns in Random Binary Search Trees - Flajolet, Gourdon, Martinez \(1996\) \(Correct\) \(8 citations\)](#)  
 on short subfiles. As a consequence, various **pointer** saving strategies for maintaining trees obeying  
 also applies to heap-ordered trees for priority **queue** maintenance [40, 43] to tree representations of  
 "paging" where one has a two-level hierarchical **memory** structure: the index resides in main **memory** and  
[pauillac.inria.fr/algo/flajolet/Publications/RK2997.ps.gz](http://pauillac.inria.fr/algo/flajolet/Publications/RK2997.ps.gz)

[Cache Performance of Fast-Allocating Programs - Marcelo Goncalves \(1995\) \(Correct\) \(4 citations\)](#)  
 the allocation space. We only need to keep two **pointers**, one to the next free address, the allocation  
 1 Introduction With the gap between CPU and **memory** speed widening, good cache performance is  
 that. It is therefore important to understand the **memory** behavior of programs, so that computer architects  
[www.cs.princeton.edu/~mjr/fpca95.ps.Z](http://www.cs.princeton.edu/~mjr/fpca95.ps.Z)

[Reasoning about Aliasing - Utting \(1997\) \(Correct\) \(13 citations\)](#)  
 LList schema defines the whole linked list, with a **head** and tail **pointer** and a local store (the sequence  
 Email: [marku@cs.waikato.ac.nz](mailto:marku@cs.waikato.ac.nz) Keywords: Aliasing, **Pointers**, Object-Orientation, Refinement Calculus.  
 requests to: Mark Utting Mark Utting A simple **Queue** abstract data type (ADT) is used to illustrate  
[www.cs.waikato.ac.nz/~marku/papers/aliasing.ps.gz](http://www.cs.waikato.ac.nz/~marku/papers/aliasing.ps.gz)

[Cognitive Walkthrough - Usability Evaluation Materials - Lavery, Cockton \(1997\) \(Correct\)](#)  
 Figure 2) He selects the text by moving the mouse **pointer** to the beginning of the text, holds the mouse  
[www.dcs.gla.ac.uk/publications/reports/1997-20.ps](http://www.dcs.gla.ac.uk/publications/reports/1997-20.ps)

[The LooPo scanner and parser - Frank Schuler \(1995\) \(Correct\) \(1 citation\)](#)  
 The definition Two types are defined. Entry is a **pointer** to a node object and SymbolTable is an object  
 \*root: root entry of the binary tree \*lexemes: **memory** area for the lexem strings of size StrMax \*  
 lookahead to the next token \*coef: cache **memory** for index variable coefficients \*c0: cache  
[brahms.fmi.uni-passau.de/ci/loopo/doc/schuler-p.ps.gz](http://brahms.fmi.uni-passau.de/ci/loopo/doc/schuler-p.ps.gz)

[Don't Stop the BIBOP: Flexible and Efficient Storage.. - Dybvig, Eby, Bruggeman \(1994\) \(Correct\) \(4 citations\)](#)  
 system, objects are reachable only through their **headers**. By keeping large objects in a separate large  
 system's hybrid type representation employs typed **pointers** and typed objects for tagging individual  
 in the segment table, and places the object on a **queue** for later sweeping (if necessary) For newly  
[ftp.cs.indiana.edu/pub/techreports/TR400.ps.Z](http://ftp.cs.indiana.edu/pub/techreports/TR400.ps.Z)

[PFSLib - Using Intel's Parallel I/O Interface on Coupled... - Röder, Lamberts, Bode \(Correct\)](#)  
 M UNIX provides each process with its own file **pointer** and it is the programmer's responsibility to  
 carries out the file access. Unix IPC shared **memory** is used for the data transfer between client and  
 standard message passing interface for distributed **memory** concurrent computers. Parallel Computing,  
[ftp.irisa.fr/local/CMPI/EISUG95/Christian.Roeder-paper.ps](http://ftp.irisa.fr/local/CMPI/EISUG95/Christian.Roeder-paper.ps)

[Recycling in Gardens: Efficient Memory Management for a Parallel... - Siu Yuen \(Correct\)](#)  
 tasks' heaps. These object references (global **pointers**) support a very efficient form of remote method  
 Recycling in Gardens: Efficient **Memory** Management for a Parallel System Siu Yuen Chan,  
 and tasks. This paper presents the Gardens **memory** management model, its implementation and some  
[sky.fit.qut.edu.au/~proe/papers/PART98.ps.gz](http://sky.fit.qut.edu.au/~proe/papers/PART98.ps.gz)

[Characterizing the Performance of Algorithms for Lock-free Objects - Johnson \(Correct\)](#)  
 defined by an atomic snapshot of the value of the **head pointer**, the tail **pointer**, and the next-record  
 implementation. An object is represented by a **pointer** to its current instantiation. A process performs  
 37]AVL trees [15]B-trees [8, 53]priority **queues** [12, 46, 30] and so on. Shasha and Goodman [54]  
[ftp.cis.ufl.edu/pub/tech-reports/tr93/tr93-G21.ps.gz](http://ftp.cis.ufl.edu/pub/tech-reports/tr93/tr93-G21.ps.gz)

Adding Persistence to the Oberon-System - Knasmüller (1996) (Correct)

and Print (to print the list) Each list has a **header** containing the field font, which determines the **Will Be Shortly Outlined Below**. Type Object = **Pointer** To Objectdesc Objectdesc = Record Objectfields heap, while transient objects are in the transient **memory**. Transient and persistent objects can access each <ftp.ssw.uni-linz.ac.at/pub/Papers/PersOberon.ps.Z>

Service Combinators for Web Computing - Cardelli, Davies (1997) (Correct) (22 citations)

to mind is the lack of referential integrity: a **pointer** (URL 1 on the Web does not always denote the of the fundamental properties of traditional (in-memory, or localarea) object systems. The first problem [www.cs.cmu.edu/afs/cs/user/rowan/www/papers/service.ps](http://www.cs.cmu.edu/afs/cs/user/rowan/www/papers/service.ps)

C Threads - Coopers, Draves (1990) (Correct)

Package 3.1. cthreads.h include cthreads.h The **header** file cthreads.h defines the C threads interface. indicates that the mutex\_t type is defined as a **pointer** to a referent type struct mutex which may itself are to have one mutex protecting all shared **memory**, and to have one mutex for every byte of shared <ftp.cs.cuhk.hk/pub/mach3/doc/techreports/threads.ps>

Efficient Translation of External Input in a Dynamically Typed... - Paige (1994) (Correct) (2 citations)

Our algorithms are based on a sequential **pointer** RAM model of computation [4, 7] which accesses in the input and the sentinel are stored in **memory** within an initial universe U of data items each <ftp.diku.dk/diku/semantics/papers/D-226.ps.gz>

Using the Co-existence Approach to Achieve Combined... - Ananthanarayanan.. (1993) (Correct) (4 citations)

to their data modeling power, OOSs offer fast **pointer**-based traversal of objects at or near **memory** and their ability to perform data operations at **memory** speeds. The modeling power of OOSs stems from a fast **pointer**-based traversal of objects at or near **memory** speed because they not only bring the data into [www.cc.gatech.edu/computing/Database/students/vibby/papers/smrc-93.ps.Z](http://www.cc.gatech.edu/computing/Database/students/vibby/papers/smrc-93.ps.Z)

Evaluation Of A Stack Decoder On A Japanese Newspaper Dictation ... - Mike Schuster (1996) (Correct)

its LM probability and backoff probability, and a **pointer** to the beginning of the list of extension word on a 300 Mhz Pentium II. Using a disk-based LM the **memory** usage could be optimized to 4 MB in total. 1. A Because They Made To A Large Extent A Time- And **Memory** efficient Search Possible. 1.1. N-Gram Module A [isw3.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/asj98.2.ps.gz](http://isw3.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/asj98.2.ps.gz)

A Vision-Guided, Semi-Autonomous System Applied to a... - Seelinger Robinson (Correct)

graphical interface, several cameras, a laser **pointer** mounted on a two-axis pan/tilt unit, and a six [www.nd.edu/~mseeling/papers/spie97.ps](http://www.nd.edu/~mseeling/papers/spie97.ps)

Parallel Algorithms - Blelloch, Maggs (1996) (Correct) (2 citations)

balancing, and routing algorithms. 3. Parallel **Pointer** Manipulations. Many of the traditional the PRAM model, a set of processors share a single **memory** system. In a single unit of time, each processor processor can perform an arithmetic, logical, or **memory** access operation. This model has often been [www.cs.cmu.edu/afs/cs.cmu.edu/project/phrensy/pub/papers/BlellochM96.ps](http://www.cs.cmu.edu/afs/cs.cmu.edu/project/phrensy/pub/papers/BlellochM96.ps)

Graphs in Compilation - Claessen (1997) (Correct)

by a node in a graph. A use of that variable is a **pointer** to that node. The node will be overwritten by an to use 'real' **pointers**, as in addresses in the **memory** of a computer. Haskell also offers a way to do <ftp.cs.chalmers.se/pub/users/koen/Papers/abstract.ps>

Meta-level Architecture for Extendable C++ - Ishikawa (1994) (Correct) (7 citations)

: 5 2.4.2 Global **Pointer**

have been introduced to access the remote **memory** area in Split-C[3]EM-C[16]and CC2]To **pointer** that makes it possible to access remote **memory** in a distributed **memory** parallel machine [jisp.cs.nyu.edu/RWC/rwcp/people/yk/rwcp-doc/papers/1994/tr94024.ps.gz](http://jisp.cs.nyu.edu/RWC/rwcp/people/yk/rwcp-doc/papers/1994/tr94024.ps.gz)

PFSLib - A Parallel File System for Workstation Clusters - Ludwig, Lamberts (1995) (Correct)

M UNIX provides each process with its own file **pointer** and it is the programmer's responsibility to carries out the file access. Unix IPC shared **memory** is used for the data transfer between client and standard message passing interface for distributed **memory** concurrent computers. Parallel Computing, [www.ntua.gr/parallel/libraries/communication/pfslib/PAPER/PaCT.ps.gz](http://www.ntua.gr/parallel/libraries/communication/pfslib/PAPER/PaCT.ps.gz)

**RESULT LIST**

Approximately **587** results found in the Worldwide database for:

**memory** in the title AND **queue** in the title or abstract

Only the first **500** results are displayed.

(Results are sorted by date of upload in database)

- 1 **Apparatus and method in a network switch for synchronizing transfer of a control tag to a switch fabric with transfer of frame data to a buffer memory**  
 Inventor: CHOW PETER KA-FAI (US); VISWANATH SOMNATH (US)  
 EC: IPC: H04L12/50  
 Publication info: **US6885666** - 2005-04-26  
 Applicant: ADVANCED MICRO DEVICES INC (US)
- 2 **A data frame buffer memory device and method for Ethernet passive optical network**  
 Inventor: HE YAN JIAO (CN)  
 EC: IPC: H04L12/28; H04L12/24; (+1)  
 Publication info: **CN1547358** - 2004-11-17  
 Applicant: FIBERHOME TELECOMM TECHNOLOGIE (CN)
- 3 **A method for implementing memory space occupation reduction during multicast data packet forwarding**  
 Inventor: CHEN ZHENG (CN); LIU XIN (CN); (+1)  
 EC: IPC: H04L12/54  
 Publication info: **CN1545274** - 2004-11-10  
 Applicant: ZTE CORP (CN)
- 4 **Method for dynamic distributing memory in multiple queue process realize**  
 Inventor: TANG XIONG (CN); HUANG RUI (CN); (+1)  
 EC: IPC: G06F12/08  
 Publication info: **CN1553344** - 2004-12-08  
 Applicant: ZHONGXING COMM CO LTD (CN)
- 5 **Dissipation balance method of non-volatile memory**  
 Inventor: HE DAISHUI (CN); CAI SHIGUANG (CN); (+1)  
 EC: IPC: G06F12/00; G06F9/38  
 Publication info: **CN1536489** - 2004-10-13  
 Applicant: YINGHUADA SHANGHAI ELECTRONICS (CN)
- 6 **Method and system for controlling memory accesses to memory modules having a memory hub architecture**  
 Inventor: JEDDELOH JOSEPH M (US); LEE TERRY R (US)  
 EC: IPC: G06F12/00  
 Publication info: **US2005066137** - 2005-03-24  
 Applicant:
- 7 **Fault tolerant mutual exclusion locks for shared memory systems**  
 Inventor: MICHEAL MAGED M (US); KIM YONG-JIK (US)  
 EC: IPC: G06F3/00  
 Publication info: **US2005066064** - 2005-03-24  
 Applicant: IBM (US)
- 8 **Dynamic buffer memory management ATM switching arrangement and switching method thereof**  
 Inventor: ZHANG YAO WEN ZHOU (CN)  
 EC: IPC: H04L12/40; H04L12/26; (+2)  
 Publication info: **CN1522011** - 2004-08-18  
 Applicant: HUAWEI TECH CO LTD (CN)
- 9 **Temporary storage of memory line while waiting for cache eviction**  
 Inventor: LOVETT THOMAS D (US); MICHAEL MAGED M (US); (+2)  
 EC: IPC: G06F15/167  
 Applicant:

Publication info: **US2005060383** - 2005-03-17

**10 Method and apparatus for maintaining netflow statistics using an associative memory to identify and maintain netflows**

Inventor: OREN EYAL (IL); BELZ DAVID E (IL); (+1)      Applicant: CISCO TECH IND (US)

EC:

IPC: G06F12/00

Publication info: **US6871265** - 2005-03-22

.....  
Data supplied from the **esp@cenet** database - Worldwide



**RESULT LIST**

Approximately **587** results found in the Worldwide database for:

**memory** in the title AND **queue** in the title or abstract

Only the first **500** results are displayed.

(Results are sorted by date of upload in database)

**31 DIRECT MEMORY ACCESS CONTROLLER SYSTEM**

Inventor: CLAYTON SHAWN ADAM; FORTIN BRIAN MARK; (+2)      Applicant: EMULEX CORP (US)  
EC:      IPC: G06F13/24; G06F9/48; (+5)  
Publication info: **WO2004061687** - 2004-07-22

**32 READ-WRITE SWITCHING METHOD FOR A MEMORY CONTROLLER**

Inventor: CHRISTENSON BRUCE      Applicant: INTEL CORP (US)  
EC:      IPC: G06F12/00  
Publication info: **WO2004061672** - 2004-07-22

**33 Method and apparatus for fetching instructions from the memory subsystem of a mixed architecture processor into a hardware emulation engine**

Inventor: DUA ANUJ (US); MCCORMICK JAMES E (US); Applicant: (+5)  
EC: G06F9/318T; G06F9/38F; (+1)      IPC: G06F9/30  
Publication info: **US2004107335** - 2004-06-03

**34 Method and apparatus for high throughput short packet transfers with minimum memory footprint**

Inventor: LEETE BRIAN A (US)      Applicant:  
EC:      IPC: G06F3/00  
Publication info: **US2004093441** - 2004-05-13

**35 Method and apparatus for deadlock prevention with distributed arbitration**

Inventor: MCALLISTER CURTIS R (US)      Applicant:  
EC: G06F12/08B4P      IPC: G06F13/14; G06F13/38  
Publication info: **US2004083321** - 2004-04-29

**36 APPARATUS, METHOD AND SYSTEM FOR REDUCING LATENCY OF MEMORY DEVICES**

Inventor: CHAUDHARI SUNIL; VINNAKOTA BAPIRAJU      Applicant: INTEL CORP (US)  
EC: G06F13/16      IPC: G06F12/00  
Publication info: **WO2004031959** - 2004-04-15

**37 NETWORK INTERFACE AND PROTOCOL**

Inventor: POPE STEVEN LESLIE (GB); ROBERTS DEREK EDWARD (GB); (+2)      Applicant: LEVEL 5 NETWORKS LTD (GB); POPE STEVEN LESLIE (GB); (+3)  
EC:      IPC: G06F12/06; G06F12/08  
Publication info: **WO2004025477** - 2004-03-25

**38 METHOD FOR OPTIMIZING MEMORY CONTROLLER**

Inventor: CARR JEFFERY D      Applicant: IBM  
EC:      IPC: G06F12/00  
Publication info: **JP2004118833** - 2004-04-15

**39 METHOD AND SYSTEM FOR CONTROLLING MEMORY ACCESSES TO MEMORY MODULES HAVING A MEMORY HUB ARCHITECTURE**

Inventor: JEDDELOH JOSEPH M; LEE TERRY R      Applicant: MICRON TECHNOLOGY INC (US)  
EC:      IPC: G06F  
Publication info: **WO2004021129** - 2004-03-11

**40 Method and apparatus for providing a packet buffer random access  
memory**

Inventor: JONES DAVID E (CA)

Applicant: MOSAID TECHNOLOGIES INC (CA)

EC: H04L12/56Q1

IPC: H04L12/54

Publication info: **US2004008714** - 2004-01-15

---

Data supplied from the **esp@cenet** database - Worldwide

**RESULT LIST**

Approximately **541** results found in the Worldwide database for:

**memory** in the title AND **queue** in the title or abstract

Only the first **500** results are displayed.

(Results are sorted by date of upload in database)

- 51 Method for optimizing utilization of a double-data-rate-SDRAM memory system**  
Inventor: EMBERLING BRIAN D (US)      Applicant:  
EC:      IPC: G06F12/02  
Publication info: **US2004193834** - 2004-09-30
- 52 Binding a memory window to a queue pair**  
Inventor: GARCIA DAVID J (US); HILLAND JEFFREY R (US); (+3)      Applicant:  
EC:      IPC: G06F12/00; G06F12/14  
Publication info: **US2004193825** - 2004-09-30
- 53 Method and apparatus for exchanging data between transactional and non-transactional input/output systems in a multi-processing, shared memory environment**  
Inventor: LANTEIGNE STEPHEN (CA); LEWIS DAVID (CA)      Applicant: NORTEL NETWORKS LTD (CA)  
EC:      IPC: G06F13/14; G06F13/20; (+1)  
Publication info: **US6757756** - 2004-06-29
- 54 Memory read/write reordering**  
Inventor: SAH SUNEETA (US); KULICK STANLEY S (US); (+3)      Applicant:  
EC:      IPC: G06F12/00  
Publication info: **US2003177320** - 2003-09-18
- 55 Vector transfer system generating address error exception when vector to be transferred does not start and end on same memory page**  
Inventor: ANSARI AHMAD R (US)      Applicant: NEC ELECTRONICS INC (US)  
EC: G06F9/312; G06F9/38H      IPC: G06F15/00  
Publication info: **US2003167387** - 2003-09-04
- 56 Read-write switching method for a memory controller**  
Inventor: CHRISTENSON BRUCE A (US)      Applicant: INTEL CORP (US)  
EC:      IPC: G06F12/00  
Publication info: **US2004128428** - 2004-07-01
- 57 MULTI-BANK SCHEDULING TO IMPROVE PERFORMANCE ON TREE ACCESS IN DRAM BASED RANDOM ACCESS MEMORY SUBSYSTEM**  
Inventor: CALLE MAURICIO; RAMASWAMI RAVI      Applicant: AGERE SYSTEMS INC  
EC:      IPC: G06F12/06; G06F12/02  
Publication info: **JP2003208354** - 2003-07-25
- 58 DIRECT MEMORY ACCESS DMA TRANSFER BUFFER PROCESSOR**  
Inventor: ROACH BRADLEY; DUCKMAN DAVID; (+2)      Applicant: EMULEX CORP (US)  
EC:      IPC: G06F  
Publication info: **WO03050655** - 2003-06-19
- 59 DDR SDRAM memory controller with multiple dependency request architecture and intelligent requestor interface**  
Inventor: NYSTUEN JOHN (US)      Applicant:  
EC:      IPC: G06F12/00  
Publication info: **US2004107324** - 2004-06-03

**60 SHARED MEMORY CONTROLLER FOR DISPLAY PROCESSOR**

Inventor: DEAN JOHN E

Applicant: KONINKL PHILIPS ELECTRONICS NV (NL)

EC: G09G3/20M1; G09G5/393; (+1)

IPC: G06F13/16; G06F3/14

Publication info: **WO03044677** - 2003-05-30

.....  
Data supplied from the **esp@cenet** database - Worldwide